

CITY OF MORENO VALLEY

INITIAL STUDY FOR REDLANDS BOULEVARD AND HEMLOCK AVENUE GAS STATION



REDLANDS BOULEVARD AND HEMLOCK AVENUE GAS STATION PROJECT (PEN18-0038 – Conditional Use Permit)

January 7, 2021

Lead Agency
CITY OF MORENO VALLEY

14177 Frederick Street Moreno Valley, CA 92552

Prepared By Rincon Consultants, Inc.

Bill Vosti

1980 Orange Tree Lane, Suite 105 Redlands, California 92374, 909-253-0705

TABLE OF CONTENTS

BACKGROU	ND INFORMATION AND PROJECT DESCRIPTION:	1
ENVIRONME	ENTAL FACTORS POTENTIALLY AFFECTED:	11
DETERMINA	TION (To be completed by the Lead Agency):	11
EVALUATIO	N OF ENVIRONMENTAL IMPACTS:	11
ISSUES & SI	JPPORTING INFORMATION SOURCES:	14
l.	AESTHETICS	
II.	AGRICULTURE AND FOREST RESOURCES	15
III.	AIR QUALITY	
IV.	BIOLOGICAL RESOURCES	
V.	CULTURAL RESOURCES	
VI.	ENERGY	
VII.	GEOLOGY AND SOILS	
VIII.	GREENHOUSE GAS EMISSIONS	
IX.	HAZARDS AND HAZARDOUS MATERIALS	
X.	HYDROLOGY AND WATER QUALITY	
XI. XII.	LAND USE AND PLANNING	
XII. XIII.	NOISE	
XIII. XIV.	POPULATION AND HOUSING	43 17
XV.	PUBLIC SERVICES	
XV. XVI.	RECREATION	
XVII.	TRANSPORTATION	
XVIII.	TRIBAL CULTURAL RESOURCES	
XIX.	UTILITIES AND SERVICE SYSTEMS	52
XX.	WILDFIRE	
XXI.	MANDATORY FINDINGS OF SIGNIFICANCE	
TABLES		
	QMD Air Quality Significance Thresholds	
	QMD LSTs for Construction	
	ect Construction Emissions	
Table 4 Proje	ect Operational Emissions	19
	mum Resident and Worker Cancer Risk	
	nated Fuel Consumption during Construction	
	nated Fuel Consumption during Operation	
	ect Consistency with the City of Moreno Valley CAP Checklist ¹	
Table 10 Day	AC Noise Levelsof Exhaust Fan Noise Levels	44 15
	erational Noise Levels at Off-site Land Uses	
Table 12 Vib	ration Levels Measured during Construction Activities	45 46
	ening Year (2024) Intersection Level of Service	
. abic to ope	5g . 541 (202 i) into 1000tion Love of Oct 100	

i

Table 14 P	roject Trip Generation	50
FIGURES		
Figure 1 Figure 2 Figure 3 Figure 4 Figure 5	Regional Location Project Site Location Project Site Plans Project Elevation Site Plans Project Gas Station Logo Elevation Plans	7 8 9
MITIGATION applicable)	ON MONITORING AND REPORTING PROGRAM (Separate Document	i if

APPENDICES (Separate Documents)

- A. Air Quality and Greenhouse Gas Impact Study
- B. MSHCP Consistency and Habitat Assessment Analysis
- C. Jurisdictional Waters and Wetlands Delineation
- D. Determination of Biologically Equivalent or Superior Preservation
- E. Focused BUOW Survey
- F. Cultural Resources Survey Report
- G. Energy Construction and Operational Energy Fuel Consumptions
- H. Preliminary Geotechnical Investigation Report
- I. Preliminary Hydrology Studies and Project Specific Water Quality Management Plan
- J. Noise Impact Study
- K. Traffic Impact Analysis



INITIAL STUDY (IS) FOR Redlands Boulevard and Hemlock Avenue Gas Station Project

BACKGROUND INFORMATION AND PROJECT DESCRIPTION:

2. Project Title: Redlands Boulevard and Hemlock Avenue Gas Station Project

3. Public Comment Period:

4. **Lead Agency:** City of Moreno Valley

Jeff Bradshaw, Planning Department

14177 Frederick Street Moreno Valley, CA 92552

(951) 413-3224 jeffreyb@moval.org

5. **Documents Posted At:** http://www.moval.org/cdd/documents/about-projects.html

6. **Prepared By:** Bill Vosti, Project Manager

Rincon Consultants, Inc.

1980 Orange Tree Lane, Suite 105

Redlands. California 92374

909-253-0705

bvosti@rinconconsultants.com

7. Project Sponsor:

Applicant/Developer

Ahmad Ghaderi
A & S Engineering, Inc.
28405 Sand Canyon, Suite B
Canyon Country, CA 91387
661-250-9300
ahmadg@asengineer.com

Property Owner

Chandish Ravaliya cravaliya@gmail.com

8. **Project Location:** The project site is located in the eastern portion of the City of Moreno Valley, Riverside County, California. The project site includes a portion of Assessor Parcel Number (APN) 488-310-012 and is located at the southwestern corner of the intersection of Redlands Boulevard and Hemlock Avenue. See Figure 1 and Figure 2 for the regional and project site location, respectively.

- 9. **General Plan Designation:** Under the General Plan 2040, the project site has a land use designation of Highway Office/Commercial. Permitted uses for this designation include office, research/development facilities, retail, and service commercial uses. The General Plan 2040 was adopted in June 2021 by the City of Moreno Valley City Council.
- 10. Specific Plan Name and Designation: Not Applicable
- 11. Existing Zoning: The project site is zoned Highway Office/Commercial (H-OC) District, which allows for distinctive employment or educational campuses along State Route 60 with primary entrances at Moreno Beach Drive and the World Logistics Center Parkway. This zone would serve as a major gateway to the City of Moreno Valley from the east.

12. Surrounding Land Uses and Setting:

	Land Use	General Plan 2040	Zoning
Project Site	Undeveloped	Highway Office/Commercial	Highway Office/Commercial (H-OC) District
North	Redlands and Hemlock Booster Station is adjacent to the project's northeastern corner and remaining area is undeveloped	Highway Office/Commercial and Residential 1	Highway Office/Commercial (H-OC) District and Residential 1 (R1) District
South	Single-family residences and commercial uses	Highway Office/Commercial	Highway Office/Commercial (H-OC) District
East	Single-family residences	Highway Office/Commercial	Highway Office/Commercial (H-OC) District
West	Undeveloped	Highway Office/Commercial	Highway Office/Commercial (H-OC) District

13. Description of the Site and Project:

Environmental Setting

The proposed project is located on a 2.4-acre portion of a 6.9-acre parcel located in the City of Moreno Valley in Riverside County, California. Project modifications would also include off-site areas totaling approximately 0.63-acre. The project site lies southwest of the intersection of Redlands Boulevard and Hemlock Avenue (Assessor Parcel Number 488-310-012). The site is relatively flat with an elevation of approximately 1,760 feet above mean sea level and is currently vacant. Surrounding land uses include single-family residences and commercial uses to the south and vacant land to the west and north. Redlands Boulevard borders the project to the east. In addition, the Redlands and Hemlock Booster Station is adjacent to the project's northeastern boundary. State Route 60 is approximately 560 feet south of the project site.

Project Description

The project would include the development of a gas station with 11 fueling stations (16 total dispensers), a 5,123 square foot food mart including 1,200 square feet of Redlands Blvd. & Hemlock Ave. Gas Station Page 2 City of Moreno Valley

office and storage in the mezzanine level, and a 1,200 square foot retail store adjacent to the food mart. Of the 16 dispensers, 14 of the dispensers would be gasoline dispensers and would be underneath a 5,581 square foot canopy. The remaining two dispensers would be diesel dispensers underneath a 3,120 square foot canopy. An 18 x 12.5 x 6 foot trash enclosure would also be constructed adjacent to the western boundary of the food mart/retail store. The project would also be served by an on-site septic system. The septic tank would have a capacity of approximately 4,000 gallons.

The project would provide a total of 29 parking spaces in a surface lot with two stalls for electric vehicle parking. Additional improvements include curb and sidewalk enhancements and landscaping. Access to the project site would be provided from two driveways with one off Redlands Boulevard and the other driveway off of Hemlock Avenue. Of the 6.9-acre site, only approximately 2.4 acres would be developed; the remaining 4.5 acres would remain undeveloped. An additional 0.63 acre would be improved for off-site modifications (e.g., storm drain improvements) for a total disturbed area of 7.53 acres.

The project would include a Conditional Use Permit (PEN18-0038) for a service station. The City updated its General Plan, which designated the project area as a highway office/commercial land use.

For purposes of environmental assessment, construction of the project is proposed to start in January 2022 and estimated to be completed in December 2022 for a total construction period of 12 months. Construction activities would include site preparation, grading, building construction, paving, and architectural coating (e.g., painting). During grading, approximately 300 cubic yards of soil would be exported. All construction would occur within the current conceptual limits of the project.

Refer to Figure 3, Figure 4, and Figure 5 for the project site plans, elevation plans, and gas station logo elevation plans, respectively.

14. Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code section 21080.3.1? If so, is there a plan for consultation that includes, for example, the determination of significance of impacts to tribal cultural resources, procedures regarding confidentiality, etc.?

HELIX Environmental Planning contacted the Native American Heritage Commission (NAHC) on November 1, 2017 for a Sacred Lands File search and list of Native American contacts for the project area. The NAHC indicated in a response dated November 2, 2017 that no known sacred lands or Native American cultural resources are within the project area. Letters were sent on November 9, 2017 to Native American representatives and interested parties identified by the NAHC. The following eight tribes responded: Agua Caliente Band of Cahuilla Indians, Augustine Band of Cahuilla Indians, Morongo Band of Mission Indians, Pala Band of Mission Indians, Pechanga Band of Luiseño Indians, Rincon Band of Luiseño Indians, Soboba Band of Luiseño Indians, and Viejas Band of Kumeyaay Indians. The Morongo Band of Mission Indians, Pechanga Band of Luiseño Indians, and Soboba Band of Luiseño Indians all requested consultation in letters dated April 4, 2018, March 22, 2018, and April 3, 2018, respectively. The Tribes requested consultation with the City.

15. Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement):

a. N/A

16. Other Technical Studies Referenced in this Initial Study (Provided as Appendices):

- a. Air Quality, Health Risk, and Greenhouse Gas Impact Study Rincon Consultants Inc., December 2021
- b. MSHCP Consistency Analysis and Habitat Assessment Rincon Consultants Inc., September 2021
- c. Jurisdictional Waters and Wetlands Delineation Rincon Consultants Inc., June 2021
- d. Determination of Biologically Equivalent or Superior Preservation Rincon Consultants, October 2021
- e. Focused Borrowing Owl Survey HELIX Environmental Planning, May 2018
- f. Cultural Resources Survey Report HELIX Environmental Planning, January 2018
- h. Preliminary Geotechnical Investigation Report Geotechnical Group, Inc., April 2017
- i. Preliminary Hydrology Studies and Project Specific Water Quality Management Plan Winchester Associates, Inc., April 2021
- j. Noise Impact Study Rincon Consultants, November 2021
- k. Traffic Impact Analysis Ganddini Group, Inc., August 2019

17. Acronyms:

ADT - Average Daily Traffic

AEP - Association of Environmental Professionals

ALUCP - Airport Land Use Compatibility Plan

AQMP - Air Quality Management Plan BMP - Best Management Practice

CALGreen - California's Green Building Standards Code

CAP - Climate Action Plan

CAPCOA - California Air Pollution Control Officers Association

CBSC California Building Standards Code

CC - Community Commercial
CCR - California Code of Regulations
CEQA - California Environmental Quality Act

CO Carbon Monoxide

CUPA - Certified Unified Program Agency

dBA - Decibels using the A-weighted sound pressure level

DBESP - Determination of Biologically Equivalent or Superior Preservation

DMA - Drainage Management Areas
DPM - Diesel Particulate Matter
EIR - Environmental Impact Report
EMWD - Eastern Municipal Water District
FEIR - Final Environmental Impact Report

FEMA - Federal Emergency Management Agency

FTA Federal Transit Administration

GHG - Greenhouse Gas GWh - Gigawatt hours

HARP 2 - Hotspots Analysis and Reporting Program

HcC - Hanford coarse sandy loam HRA - Health Risk Assessment

HVAC - Heating, ventilation, and air conditioning

IS - Initial Study

LiD - Equivalent Noise Level LiD - Low Impact Development

LOS - Level of Service

LST - Localized Significance Threshold

MARB - March Air Reserve Base

MARB/IPA- March Air Reserve Base/Inland Port Airport
MEIR - Maximum Exposed Individual Resident
MEIW - Maximum Exposed Individual Worker

MLD - Most Likely Descendant

MMBTu - Million Metric British Thermal Units

MRZ - Mineral Resource Zone

MSHCP - Multiple Species Habitat Conservation Plan

MVPD - Moreno Valley Police Department MVU - Moreno Valley Electric Utility

NO_x Nitrogen Oxides

NPDES - National Pollutant Discharge Elimination System
OEHHA - Office of Environmental Health Hazard Assessment

PaC2 - Pachappa fine sandy loam

PM_{2.5} - Particle matter that is 2.5 microns or less in diameter PM_{10} - Particle matter that is 10 microns or less in diameter

R1 - Residential 1 District

RCMN - Roadway Construction Noise Model

RMP - Risk Management Policy
RTP - Regional Transportation Plan

RWQCB - Regional Water Quality Control Board

SB - Senate Bill

SCAG - Southern California Association of Governments SCAQMD - South Coast Air Quality Management District

SCE - Southern California Edison

SO₂ Sulfur Dioxide

SRA - Source Receptor Area

SWPPP - Storm Water Pollution Prevention Plan SWRCB - State Water Resources Control Board


TAC - Toxic Air Containments
TCR - Tribal Cultural Resources

VHFHSZ - Very High Fire Hazard Severity Zone

VMT - Vehicle Miles Traveled

VOC - Volatile Organic Compounds WQMP - Water Quality Management Plan





Imagery provided by Esri and its licensors © 2021.







Redlands Blvd. & Hemlock Ave. Gas Station

Figure 3 Project Site Plans




Figure 4 Project Elevation Site Plans



COLOR LEGEND P-1 BENJAMN MCCRE, 1030 "BRANDY CREAK", SATN FINS-P-15 OP YELLOW - DENJAWIN WOORS, SOUTH ELEVATION MATERIAL LEGEND F-2 P-4 F-11 P-D1 P-3 2 SPARK LOCO (TYP. OF 3): 3.1416 X (1"-6")" = 3.1418 x 2.25 NORTH ELEVATION INDEPENDENT ARCO STATION P-2 P-4 P-11 P-01 P-2 P-4 P-11 P-D1 03 EAST ELEVATION 223 SCAE: 3/16"=1"-0" WEST ELEVATION **FUEL CANOPY BUILDING #1** A2.3

Figure 5 Project Gas Station Logo Elevation Plans

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:

involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages. Agriculture & Aesthetics Air Quality Forestry Resources Biological Resources **Cultural Resources** Energy Hazards & Hazardous Greenhouse Gas Geology & Soils **Emissions** Materials Hydrology & Land Use & Planning Mineral Resources Water Quality Noise Population & Housing **Public Services** Tribal Cultural Recreation Transportation Resources Utilities & Mandatory Findings of Wildfire Service Systems Significance **DETERMINATION** (To be completed by the Lead Agency): On the basis of this initial evaluation: I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared. I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared. I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required. I find that the proposed project MAY have a "potentially significant" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed. I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required. L Bradshaw 01/10/22 Date City of Moreno Valley Jeffrey Bradshaw

The environmental factors checked below would be potentially affected by this project,

EVALUATION OF ENVIRONMENTAL IMPACTS:

Printed Name

- A brief explanation is required for all answers except "No Impact" answers that are adequately supported by the information sources a Lead Agency cites in the parentheses following each question. A "No Impact" answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g. the project falls outside a fault rupture zone). A "No Impact" answer should be explained where it is based on project-specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
- 2) All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
- Once the Lead Agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. "Potentially Significant Impact" is appropriate if there is substantial evidence that an effect is significant. If there are one or more "Potentially Significant Impact" entries when the determination is made, an EIR is required.
- 4) Less Than Significant with Mitigation Incorporated" applies where the incorporation of mitigation measures has reduced an effect from "Potentially Significant Impact" to a "Less than Significant Impact." The Lead Agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level (mitigation measures from Section XVII, "Earlier Analyses," may be crossreferenced).
- 5) Earlier analyses may be used where, pursuant to the tiering, program EIR, or another CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration. Section 15063(c)(3)(D). In this case, a brief discussion should identify the following:
 - Earlier Analyses Used. Identify and state where they are available for review.
 - b) Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
 - c) Mitigation Measures. For effects that are "Less than Significant with Mitigation Measures Incorporated," describe the mitigation measures which were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.
- 6) Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g. general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated.

- 7) Supporting Information Sources. A source list should be attached, and other sources used, or individuals contacted should be cited in the discussion.
- 8) This is only a suggested form, and lead agencies are free to use different formats; however, lead agencies should normally address the questions from this checklist that are relevant to a project's environmental effects in whatever format is selected.
- 9) The explanation of each issue should identify:
 - a) the significance criteria or threshold, if any, used to evaluate each question; and
 - b) the mitigation measure identified, if any, to reduce the impact to less than significance.

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
I. AESTHETICS – Except as provided in Would the project:	Public Re	•	ode Section	<u>121099</u> ,
a) Have a substantial adverse effect on a scenic vista?				
Response:				
The project site is located within Moreno Valley, which by rugged hills and mountains. Topographic features Box Springs Mountains and Reche Canyon to the report Badlands to the east and the Mount Russell area to the project site is located within a view corridor for the Badfood mart/retail store would have a maximum height have a maximum height of approximately 20.5 feet. To the Badlands since a viewer on the project site mountain. The structures are oriented on the site in some viewing of the Badlands if the viewer was looking dupublic viewing areas. Therefore, implementation of the effect on a scenic vista and impacts would have less that	s of Moreno V north, Moreno e south. Accor llands, which a of 35 feet an These structure would need to uch a manner ue north. The he proposed p	alley that pro Peak in the rding to Gene are a mountair d the fueling es would not o look to the that they wo broject would	vide vistas in- middle of the ral Plan Figura range.¹ The pump canopi obstruct publi- northeast to uld only obstru uld still be vis	clude the e city, the e 7-2, the proposed es would c viewing view the uct public sible from
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?				
Response:	1		1	
The project site is not located within or adjacent to a scenic resources. There are no State-designated or el designated scenic highway is State Route 74 near Ba of the project site. The project would be visible from there are intervening structures and vegetation that w both roadways. Along State Route 60, trees, common would slightly obscure visibility of the project. Visual currently vacant with non-native grassland, and the outcroppings would be directly affected by the project have a substantial effect on scenic resources, including historic buildings within a state scenic highway of significant.	igible scenic heanning, which State Route 60 rould limit the vercial developrimpacts would nerefore no health. Implementating, but not limit anning which is the control of	ighways withing approximated or Moreno Exisibility of the ments, and sind be minimal. Instorical build on of the properted to, trees, in	n the city. ² The ly 16 miles seach Drive. I proposed prongle-family readition, the dings, trees, osed project vock outcropp	e nearest southeast However, oject from esidences he site is nor rock would not ings, and
c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?				
Response:				
Implementation of the proposed project would convert to a commercial development with a gas station incliparking lot, landscaping, exterior lighting, walls, and the city that is primarily comprised of vacant abandone and commercial development. Because the site in office/commercial area under the General Plan 2040 zoning. Permitted uses for this designation include service commercial uses. Thus, the design of the proposed General Plan land use and zoning designation with the City of Moreno Valley Municipal Code required.	uding fuel stat signage. The ped agricultural f is currently do , the project woffice, researce development von. In addition,	ion canopies, project site is ite is itelds with smalesignated and could not confunctionally be corproject signa	food mart/re located in a pall parcels of red zoned as lict with the ant facilities, resistent with ge would be contact.	tail store, portion of esidential highway applicable etail, and the site's consistent

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact			
develop a vacant lot, it would not substantially degrade the existing visual character or quality of the site, or its surroundings and impacts would be less than significant.							
d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?							
Response:							
The project site does not contain artificial light sources it is vacant. The proposed project would include extended station canopies, food mart/retail store, and parking adhere to the lighting requirements as set forth in the 9.08.100 specifies that all outdoor lighting associated directed away from surrounding residential uses to recone-quarter-foot-candle minimum maintained lighting line. Furthermore, the City's Municipal Code specific oscillate or be of unusually high intensity or brightness compliance with these requirements to the City prior to with the lighting requirements of the City Municipal Conot produce a new source of substantial light or glare fraffect day or nighttime views in the area. Therefore, in significant.	erior lighting a lot. The prop he City Munici with nonreside duce glare and measured fries that exteri es. The project or issuance of lode would ensi from artificial li	associated with posed project pal Code. Montial uses shad light trespastrom within fivide or lighting shad be repuilding permoure that the paghting source	th the gas standard would be resunctional Code all be fully shies and shall not e feet of any hall not blink, equired to denote its. Project cooroposed project that would as	ation fuel quired to Chapter elded and ot exceed property flash, or nonstrate mpliance ect would adversely			
Sources:							
 Moreno Valley 2040 General Plan, adopted July Chapter 2 – Land Use & Community Chare Chapter 10 – Open Space & Resource Color - Map OSRC-3: Scenic Resources and Final Environmental Impact Report for the Mupdate, Housing Element Update, and Climate Section 4.1 Aesthetics Title 9 – Planning and Zoning of the Moreno Versicon 9.10.110 – Light and Glare of the Chapter 9.16 – Design Guidelines Section 9.17.030 G – Heritage Trees 	acter Element onservation Ridgelines IoVal 2040: Me e Action Plan Valley Municipa	floreno Valley al Code	·	sive Plan			
impacts to agricultural resources are agencies may refer to the California Assessment Model (1997) prepared by the as an optional model to use in assessing determining whether impacts to forest significant environmental effects, lead aging by the California Department of Forestry inventory of forest land, including the Fothe Forest Legacy Assessment projects.	significant Agricultural ne California g impacts of t resources encies may and Fire Pr rest and Ra ect; and f	environmed Land Evant Department agricultures, including refer to infrotection remained Assessorest carb	ental effect aluation are to Conse e and farm g timberlar formation congarding the esment Projuon measu	s, lead and Site ervation land. In and, are compiled estate's ect and urement			
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?							
Response:							

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
According to mapping available from the <i>California L Farmland Finder</i> , the project site is mapped within an However, the project site does not include any lands Farmland of Statewide Importance (Farmland). ² As su Unique Farmland, or Farmland of Statewide Importance	area defined a mapped as Pri ich, the project	as "Farmland ime Farmland would not co	of Local Impo , Unique Farr nvert Prime F	ortance". ¹ mland, or armland,
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?				
Response: No land within the city, including the project site, is contain land use and zoning designations that allow for the project site is not located on or adjacent to land zo a Williamson Act contract, the proposed project has agricultural use or a Williamson Act contract. Therefore	r residential, ar oned for agricu s no potential	nd office uses ultural use and to conflict wi	Accordingly, d is also not s	because subject to
c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code Section 12220(g)), timberland (as defined by Public Resources Code Section 4526), or timberland zoned Timberland Production (as defined by Government Code Section 51104(g))?				
Response: The project site is not zoned as forest land, timberland also does not include any forest land, timberland, or T of Moreno Valley does not have land zoned for the potential to conflict with existing zoning for forest land would occur.	imberland Pro above land u	duction land. ³ ses. Therefo	Furthermore re, the project	, the City t has no
 d) Result in the loss of forest land or conversion of forest land to non-forest use? Response: 				
The project site is not designated as forest land, nor has no potential to lose forest land or convert forest land				
e) Involve other changes in the existing environment which, due to their location or nature, could result in the conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?				
Response: As discussed under Item II(a) and II(c), the project is Unique Farmland, or Farmland of Statewide Important project would not result in the conversion of Farmland to non-forest use. No impact would occur.	nce) nor does i	t contain fore	st land. There	efore, the
Sources:				
 California Department of Conservation California Important Farmland Finder (http Final Environmental Impact Report for the Mupdate, Housing Element Update, and Climate Section 4.2 Agriculture and Forestry Resorved Figure 4.2.1 – Important Farmlands Moreno Valley 2040 General Plan, adopted June Chapter 10 – Open Space & Resource Conservation 	MoVal 2040: MoVal 2040: Moverners une 15, 2021	loreno Valley		

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
III. AIR QUALITY – Where available, the applicable air quality management districted upon to make the following determined.	ct or air pol	llution cont	rol district	•
a) Conflict with or obstruct implementation of the applicable air quality plan?				
Response:				
A project may be inconsistent with the South Coast Quality Management Plan (AQMP) if it would gene exceeding forecasts used in the development of the adopted by the South Coast Air Quality Management plans and the Southern California Association of Gov forecast projections of regional population, housing, a	rate populatio AQMP. The 20 District (SCAQ ernments' (SC	n, housing, c 016 AQMP, t !MD), incorpo AG) 2016 RT	or employmer he most rece rates local cit	nt growth nt AQMP y general
The employment growth forecasts in SCAG's 2016 R' of jobs would increase from 31,400 in 2012 to 83,200 increase in employment anticipated from a gas station within the SCAG's project 2040 employment increas cause the City to exceed official regional employment	n 2040, a total n with a food m e of 51,800 fro	increase of 5 art/retail store	1,800 jobs. ² T e component	he minor would be
In addition, the AQMP provides strategies and meast hour and 1-hour ozone and fine particulate matter (PI project would not generate criteria pollutant emissions precursors (volatile organic compounds [VOC] and nit employment would be within SCAG 2016 forecasts, the impact would occur.	M _{2.5}). As showr that would exc rogen oxides [n in Table 3 a ceed SCAQM NOx]) and PN	nd Table 4, b D thresholds t 1 _{2.5} . Since the	elow, the for ozone project's
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?				
Response:				
The SCAQMD recommends quantitative regional si activities and long-term project operation in the SCAL used to evaluate a project's potential air quality impact.	B. These thres	holds are sho	emporary cor own in Table 1	struction I and are
Table 1 SCAQMD Air Quality Significance Pollutant Construction (Pounds per Day		(Pounds per l	Day)
NO _x 100		55		
VOC 75		55		
PM ₁₀ 150		150		
PM _{2.5} 55		55		
SO _x 150		150		
CO 550		550		
NO _x = Nitrogen Oxides; VOC = Volatile Organic Compour microns or less; PM _{2.5} = Particulate Matter with a diamet Carbon Monoxide Source: Appendix A				

In addition to the above regional thresholds, the SCAQMD has developed Localized Significance Thresholds (LSTs) in response to the Governing Board's Environmental Justice Enhancement Initiative

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

response to concern regarding exposure of individuals to criteria pollutants in local communities and have been developed for NO_X , carbon monoxide (CO), large particulate matter (PM_{10}), and $PM_{2.5}$. LSTs represent the maximum emissions from a project that will not cause or contribute to an air quality exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest sensitive receptor, taking into consideration ambient concentrations in each source receptor area (SRA), distance to the sensitive receptor, and project size. LSTs have been developed for emissions within construction areas up to five acres in size. However, LSTs only apply to emissions in a fixed stationary location and are not applicable to mobile sources, such as cars on a roadway. As such, LSTs are typically applied only to construction emissions because the majority of operational emissions are associated with project-generated vehicle trips.

The SCAQMD provides LST lookup tables for project sites that measure one, two, or five acres. If a site is greater than five acres, SCAQMD recommends a dispersion analysis be performed. The project parcel totals approximately 6.9 acres, but project construction would only disturb an area of approximately 2.4 acres. Therefore, this analysis utilizes the two-acre LSTs. LSTs are provided for receptors at a distance of 82 feet (25 meters), 164 feet (50 meters), 328 feet (200 meters), 1,640 feet (500 meters) from the project disturbance boundary to the sensitive receptors. The main construction activity would occur approximately 125 feet (38 meters) north of the closest sensitive receptor, which is a single-family residential property. Therefore, the allowable emissions for 125 feet were linearly interpolated using the emissions at 82 feet and 164 feet at SRA-24 (Perris Valley). LSTs for construction in SRA-24 on a two-acre site with a receptor 125 feet away are shown in Table 2.

Table 2 SCAQMD LSTs for Construction

Pollutant	Allowable Emissions for a 2-acre Site in SRA-24 for a Receptor 125 Feet Away (pounds per day)
Gradual conversion of NO _x to NO ₂	162
CO	1,080
PM ₁₀	14
PM _{2.5}	5

 NO_x = Nitrogen Oxides; NO_2 = Nitrogen Dioxide; CO = Carbon Monoxide; PM_{10} = Particulate Matter with a diameter of 10 microns or less; $PM_{2.5}$ = Particulate Matter with a diameter of 2.5 microns or less Source: Appendix A

The project's construction and operational emissions were estimated using the California Emissions Estimator Model (CalEEMod), version 2020.4.0 CalEEMod uses project-specific information, including the project's land uses, square footages for different uses, and location, to estimate a project's construction and operational emissions. Appendix A describes the methodology used.

Construction Impacts

Project construction would involve site preparation, grading, building construction, paving, and architectural coating activities that have the potential to generate air pollutant emissions. Table 3 summarizes the estimated maximum daily emissions of VOC, NO_x, CO, sulfur dioxide (SO₂), PM₁₀, and PM_{2.5}. As shown in the table, emissions would not exceed the SCAQMD regional thresholds or LSTs. Furthermore, the project would implement all standard mitigation measures to control fugitive PM₁₀ dust. Therefore, project construction would not result in a cumulatively considerable net increase of criteria pollutant, and impacts would be less than significant.

Table 3 Project Construction Emissions

	Maximum Daily Emissions (lbs/day)					
Year	VOC	NOx	СО	PM ₁₀	PM _{2.5}	SOx

ISSUES & SUPPORTING INFORMATION SOURCES:			Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less That Signification	nt	No Impact
2022	5	18	16	4	2	<1	
SCAQMD Regional Thresholds	75	100	550	150	150	55	
Threshold Exceed?	No	No	No	No	No	No	
Maximum On-site Emissions	5	17	14	4	2	<1	
SCAQMD LST	N/A	162	1,080	N/A	14	5	
Threshold Exceeded?	No	No	No	No	N/A	N/A	4

lbs/day = pounds per day; VOC = volatile organic compounds; NO_x = nitrogen oxide; CO = carbon monoxide; PM_{10} = particulate matter with a diameter less than 10 microns; $PM_{2.5}$ = particulate matter with a diameter less than 2.5 microns; SO_x = sulfur oxide

Notes: Some numbers may not add up precisely due to rounding considerations. Maximum on-site emissions are the highest emissions that would occur on the project site from on-site sources, such as heavy construction equipment and architectural coatings, and excludes off-site emissions from sources such as construction worker vehicle trips and haul truck trips

Source: Table 2.1 "Overall Construction-mitigated" emissions of Appendix A. Highest of Summer and Winter emissions results are shown for all emissions.

Operational Impacts

The project would generate criteria pollutants during operation. To determine whether a project would result in emissions that would violate an air quality standard or contribute substantially to an existing or projected air quality violation, a project's emissions are evaluated based on the quantitative emission thresholds established by the SCAQMD.

Table 4 summarizes the project's operational emissions by emission source (area, energy, and mobile). As shown below, the emissions generated by operation of the proposed project would not exceed the SCAQMD's threshold for any criteria pollutant. Therefore, project would not contribute substantially to an existing or projected air quality violation. In addition, because criteria pollutant emissions and regional thresholds are cumulative in nature, the project would not result in a cumulatively considerable net increase of criteria pollutants.

Table 4 Project Operational Emissions

		Maximum Daily Emissions (lbs./day)					
Emission Source	ROG	NOx	СО	SO ₂	PM ₁₀	PM _{2.5}	
Area	<1	<1	<1	<1	<1	<1	
Energy	<1	<1	<1	<1	<1	<1	
Mobile	6	4	33	<1	4	1	
Project Emissions	6	4	33	<1	4	1	
SCAQMD Regional Thresholds	55	55	550	150	150	55	
Threshold Exceeded?	No	No	No	No	No	No	

lbs/day = pounds per day; VOC = volatile organic compounds; NO_x = nitrogen oxide; CO = carbon monoxide; PM_{10} = particulate matter with a diameter less than 10 microns; $PM_{2.5}$ = particulate matter with a diameter less than 2.5 microns; SO_x = sulfur oxide

Notes: Some numbers may not add up precisely due to rounding considerations.

Source: Table 2.2 "Overall Operation-Mitigated" emissions of Appendix A. Highest of Summer and Winter emissions results are shown for all emissions. The mitigated emissions account for project sustainability features and/or compliance with specific regulatory standards. No mitigation measures are required for this project.

Less Than **ISSUES & SUPPORTING** Less Than Potentially Significant No Significant with Significant Impact **INFORMATION SOURCES:** Impact Mitigation Impact Incorporated Therefore, project construction and operation would not result in a cumulatively considerable net increase of a criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard. Impacts would be less than significant c) Expose sensitive receptors to substantial pollutant concentrations?

Response:

The sensitive receptors nearest to the project site are single-family residences located approximately 125 feet south of the main project operational area. Residences are also located east the project boundaries across Redlands Boulevard.¹

Carbon Monoxide Hotspots

A carbon monoxide hotspot is a localized concentration of carbon monoxide that is above a carbon monoxide ambient air quality standard. Localized carbon monoxide hotspots can occur at intersections with heavy peak hour traffic. Specifically, hotspots can be created at intersections where traffic levels are sufficiently high such that the local carbon monoxide concentration exceeds the federal one-hour standard of 35.0 ppm or the federal and state eight-hour standard of 9.0 ppm.

A detailed carbon monoxide analysis was conducted during the preparation of SCAQMD's 2003 AQMP. The locations selected for microscale modeling in the 2003 AQMP included high average daily traffic (ADT) intersections in the SCAB, those which would be expected to experience the highest CO concentrations. The highest CO concentration observed was at the intersection of Wilshire Boulevard and Veteran Avenue on the west side of Los Angeles near the Interstate-405. The concentration of CO at this intersection was 4.6 ppm, which is well below the state and federal standards. The Wilshire Boulevard/Veteran Avenue intersection has an ADT of approximately 100,000 vehicles per day.

The total existing ADT for the nearest major intersection to the proposed project, Hemlock Avenue and State Route 60 westbound ramps, was estimated at 14,470 vehicles based on the traffic impact analysis (Appendix J). In the opening year of the project, the ADT at this intersection would increase to 19,150 vehicles with the project generating approximately 532 trips (11.4 percent of the total new trips). Both the existing and opening year ADT are below the 100,000-vehicle count on the Wilshire Boulevard/Veteran Avenue intersection that was already well below the standards. Thus, even though there would be more vehicle trips under the proposed project than under existing conditions, project-generated local mobile-source CO emissions would not result in or substantially contribute to concentrations that exceed the one-hour or eight-hour CO standard. Therefore, impacts would be less than significant.

Toxic Air Contaminants

Construction Impacts

Construction-related activities would result in temporary project-generated emissions of diesel particulate matter (DPM) exhaust emissions from off-road, heavy-duty diesel equipment for site preparation, grading, building construction, and other construction activities. DPM was identified as a toxic air containment (TAC) by CARB in 1998.

Generation of DPM from construction projects typically occurs in a single area for a short period. Construction of the proposed project would occur over approximately 12 months. The dose to which the receptors are exposed is the primary factor used to determine health risk. Dose is a function of the concentration of a substance or substances in the environment and the extent of exposure that person has with the substance. Dose is positively correlated with time, meaning that a longer exposure period would result in a higher exposure level for the Maximally Exposed Individual. The risks estimated for a Maximally Exposed Individual are higher if a fixed exposure occurs over a longer period of time. According to the Office of Environmental Health Hazard Assessment, health risk assessments, which determine the exposure of sensitive receptors to toxic emissions, should be based on a 70-year exposure period; however, such assessments should be limited to the period/duration of activities associated with the project. Thus, the duration of proposed construction activities (i.e., 12 months) is one percent of the total exposure period used for health risk calculation. Therefore, DPM generated by project construction would not create conditions where the probability is greater than 10 in one million of contracting cancer for the Maximally Exposed Individual or to generate ground-level concentrations of non-carcinogenic

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

TACs that exceed a Hazard Index greater than one for the Maximally Exposed Individual. This impact would be less than significant.

Operational Impacts

TACs commonly associated with gasoline dispensing stations include the organic compounds of benzene, toluene, and xylene. In particular, benzene is a known human carcinogen and can result in short-term acute and long-term chronic health impacts. Between 1990 and 2005, benzene in California's air was reduced by over 75 percent due to implementation of control technologies, such as vapor recovery systems, and reductions of benzene levels in gasoline. Today, gasoline dispensing facilities account for a relatively small fraction of total benzene emissions. However, near source exposure resulting from gasoline dispensing facilities, particularly very high throughput retail or wholesale facilities, can result in elevated health risks to nearby sensitive receptors.

The project would require a permit to construct and operate a gasoline dispensing facility from the SCAQMD, which will review the facility design and location for compliance with SCAQMD standards for air quality and community health. SCAQMD Rule 461 requires all retail service stations to have Phase I and Phase II EVR systems to control gasoline emissions. All storage tank vent pipes are also required to have valves to further control emissions. While the emission factors employed in this analysis assume use of Phase I EVR technology to control loading emissions and Phase II EVR systems for spillage emissions, hose permeation and refueling emission factors do not account for use of Phase II EVR systems and, therefore, the analysis is conservative.

To evaluate the potential impacts of TACs emitted during operation of the proposed gas station component of the project, Rincon completed a health risk assessment (HRA) using CARB's Hotspots Analysis and Reporting Program (HARP 2) model (version 19121). Potential health risks to nearby sensitive receptors from the emission of TACs during operations at the proposed gasoline fueling facility were analyzed in accordance with the SCAQMD's *Risk Assessment Procedures for Rules 1401, 1401.1 and 212 AB 2588 and Rule 1402 Supplemental Guidelines,* California Air Pollution Control Officers Association's (CAPCOA) *Gasoline Service Station Industrywide Risk Assessment Guidelines,* and the Office of Environmental Health Hazard Assessment (OEHHA) *Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments.*

SCAQMD has developed significance thresholds for the emissions of TACs based on health risks associated with elevated exposure to such compounds. For carcinogenic compounds, cancer risk is assessed in terms of incremental excess cancer risk. A project would result in a potentially significant impact if it would generate an incremental excess cancer risk of 10 in 1 million (1 x 10⁻⁶) or a cancer burden of 0.5 excess cancer cases in areas exceeding 1 in 1 million risk. Additionally, non-carcinogenic health risks are assessed in terms of a hazard index. A project would result in a potentially significant impact if it would result in a chronic and acute hazard index greater than 1.0.

Residential cancer risks were calculated for a 30-year exposure duration using the Risk Management Policy (RMP) and the Derived Method by selecting HARP 2's Inhalation, Soil Ingestion, Dermal, Mother's Milk, and Homegrown Produce pathways. Pursuant to SCAQMD Risk Assessment Procedures, residents aged 16 and older were assumed to spend 73 percent of their time at home. Residents under age 16 were assumed to attend a school or daycare proximate to their home, and therefore, fraction of time at home values were not applied to this age group. For off-site worker receptors, cancer risk was calculated using the OEHHA Derived Method for the Inhalation, Soil, and Dermal exposure pathways. A 25-year exposure duration for worker receptors was modeled. For all risk scenarios, a deposition rate of 0.02 meters/second was applied, and a warm climate was assumed for the dermal pathway pursuant to SCAQMD guidance.

Finally, for comparison with applicable SCAQMD thresholds, overall cancer burden associated with the project was calculated. Cancer burden evaluates the potential population-level increase in cancer risk and is defined as the increases in cancer cases in the population due exposure to TACs from a project. Pursuant to OEHHA, cancer burden uses a 70-year exposure duration and only evaluates residential exposure. In this analysis, cancer burden was calculated by estimating the number of residents that could be exposed to an incremental excess cancer risk of 1 in 1 million and multiplying the number of exposed residents by the estimated incremental excess cancer risk of the maximum exposed individual resident (MEIR) at the 70-year exposure duration. The number of residents that could be exposed to an incremental excess cancer risk was estimated by counting the number of residences in or touching the

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

1 in 1 million risk isopleth at the 70-year exposure duration (eight residences for this project) and assuming that each residence contains 3.85 individuals, the average household size in the City of Moreno Valley.

The maximum resident and worker cancer risks, as well as cancer burden, are presented in Table 5. The MEIR is the modeled residential receptor experiencing the highest incremental excess cancer risk under 30-year residential exposure duration. The MEIW is the off-site work receptor experiencing the highest incremental excess cancer risk under a 25-year worker exposure duration. Both the MEIR and MEIW were determined through an iterative process evaluating and relocating potential receptors based on model-generated risk contours to ensure the maximum incremental excess cancer risk is captured. The model outputs and summary form are along with the risk isopleths are available in Appendix A. As shown in Table 5, incremental excess cancer risks resulting from operation of the project would not exceed SCAQMD thresholds.

Table 5 Maximum Resident and Worker Cancer Risk

	Maximum Exposed Individual Resident (MEIR) ¹	Maximum Exposed Individual Worker (MEIW) ²	Cancer Burden ³
Incremental Excess Cancer Risk	5.5 in 1 million	0.2 in 1 million	0.0002
Threshold	10 in 1 million	10 in 1 million	0.5
Threshold Exceeded?	No	No	No

¹ Based on 30-year resident exposure.

See Appendix A for model outputs.

Other long-term operational TAC emissions include toxic substances such as cleaning agents in use onsite. Compliance with state and federal handling regulations would ensure that emissions remain below a level of significance. The use of such substances such as cleaning agents is regulated by the 1990 CAA Amendments as well as state-adopted regulations for the chemical composition of consumer products. Therefore, long-term operation of the project would not result in the exposure of sensitive receptors to substantial pollutant concentrations and the impact would be less than significant.

d)	Re	sult in o	ther emissic	ns (such a	s th	ose leading		
			adversely people?	affecting	а	substantial		

Response:

For construction activities, odors would be short-term in nature and are subject to SCAQMD Rule 402 Nuisance. Construction activities would be temporary and transitory and associated odors would cease upon construction completion. Accordingly, the proposed project would not create objectionable odors affecting a substantial number of people during construction, and short-term impacts would be less than significant.¹

Common sources of operational odor complaints include sewage treatment plants, landfills, recycling facilities, and agricultural uses. The proposed project, a fueling station with a food mart/retail store, would not include any of these uses. The fueling station would emit odors during operation in the form of diesel exhaust from vehicles and operation of the fueling pumps. The increase in odor emissions, however, would be minimal, as vehicle exhaust is already prevalent due to the high levels of vehicle traffic on Redlands Boulevard and State Route 60.1

² Based on 25-year worker exposure.

³ Based on eight households within the 1 in 1 million incremental excess cancer risk contour, an average household size of 3.85 persons per household in the city of Moreno Valley (California Department of Finance 2020), and the MEIR 70-year incremental excess cancer risk of 6.24 x 10⁻⁶.

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

Solid waste generated by the proposed on-site uses would be collected by a contracted waste hauler, ensuring that any odors resulting from on-site waste would be managed and collected in a manner to prevent the proliferation of odors. Operational odor impacts would be less than significant.

Sources:

- 1. Appendix A Air Quality and Greenhouse Study prepared by Rincon Consultants, June 2021
- 2016-2040 RTP SCS Appendix Demographics and Growth Forecast prepared by SCAG, April 2016

IV.	BIOLOGICAL RESOURCES - Would	the project:		
a)	Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?			

Rincon Consultants prepared a Multiple Species Habitat Conservation Plan (MSHCP) Consistency Analysis and Habitat Assessment in September 2021, a Jurisdictional Waters and Wetlands Delineation Report in September 2021, and a MSHCP Determination of Biologically Equivalent or Superior Preservation (DBESP) in October 2021. 1.2.3 The MSHCP Consistency and Habitat Assessment Report mapped vegetation, aquatic communities, and unvegetated land; documented plant and wildlife species present; and evaluated habitats on-site for the potential to support special-status species. A formal jurisdictional delineation was completed by Rincon on April 19, 2021, with a jurisdictional delineation field survey conducted on May 27, 2021. A field reconnaissance survey was conducted on March 22, 2021. Additionally, a focused Burrowing Owl (BUOW) survey was prepared by HELIX Environmental Planning, Inc. in May 2018. The DBESP was prepared due to the project's impacts to MSHCP Section 6.1.2 riparian/riverine habitat. The results and project impacts summarized below are based on findings from all three reports.

Response:

The project site is a vacant parcel that has been subject to periodic mechanical disturbance and is dominated by annual, ruderal vegetative species. Surrounding land uses include residences and commercial uses to the south and vacant land to the west and north. The project site is within the Reche Canyon/Badlands Area Plan and not within any required amphibian and mammal habitat assessment areas, Criteria Area Species Survey Area, or Narrow Endemic Plant Survey Area. However, the site is within a BUOW survey area.¹

No special status plants or wildlife species were observed during the March 22, 2021 field reconnaissance survey. The BUOW habitat assessment that occurred simultaneously with the field survey did not detect any BUOW signs or individuals. The focused BUOW survey conducted by HELIX Environmental Planning in April 2018 also did not observe BUOWs or signs of BUOW.³ However, since the site is suitable habitat for BUOWs there is potential for BUOWs to be present on-site. Therefore, the project would have a potentially substantial adverse effects on special-status plants species or wildlife species. Implementation of Mitigation Measure BIO-1 would require a pre-construction survey be conducted in all areas of suitable habitat. Impacts would be less than significant with mitigation.

Mitigation Measure

• Mitigation Measure BIO-1: A pre-construction survey shall be performed in accordance with the Western Riverside County Regional Conservation Burrowing Owl Survey Instructions (2006) 30 days prior to site disturbance and by a qualified biologist. The pre-construction survey shall include suitable habitat within the project site and areas up to 492 feet (150 meters) within the project site. If burrowing owls are detected within the survey area, then consultation with the CDFW and USFWS (collectively referred to as the "Wildlife Agencies") regarding an appropriate buffer from active burrows is required. The Wildlife Agencies may additionally require preparation

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact			
and implementation of an approved BUOW Avoidance and Relocation Plan to ensure any project impacts to BUOW are avoided.							
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?							
Response: The MSHCP has specific habitat assessment requirements, including the identification of riparian/riverine habitat and vernal pools within the project area. Two drainage features were identified during the field reconnaissance survey and jurisdictional delineation. The first feature is a roadside drainage channel that borders the western edge of Redlands Boulevard, and the second feature is an erosional feature that is part of a larger discontinued wash that originates from the Box Springs Mountains and flows southeastward over the Moreno Valley. Per the Jurisdictional Waters and Wetlands Delineation Report, both features appeared to be ephemeral water bodies due to their overall dry conditions and storm flows that appeared to last only a short time following precipitation. These features are considered riverine but do not contain habitat for riparian/riverine/vernal pool species. The features do not have upland, non-riparian/riverine vegetative species and do not contain habitat for wildlife species under MSHCP Section 6.1.2.² The roadside drainage channel is 0.21 acre and 520 linear feet, and the erosional drainage ditch is 0.04 acre and 100 linear feet. Construction of the project would permanently impact 0.21 acres of riparian riverine area in the roadside drainage channel with no temporary impacts anticipated. The project would fill the roadside drainage channel on-site, install a 54-inch reinforced concrete pipe (RCP), remove the existing 24-inch RCP with associated headwalls near the intersection of Redlands Boulevard and Hemlock Avenue and remove the existing concrete box culvert under the Spruce Avenue.² Therefore, to compensate for the permanent loss of riparian/riverine resources, Mitigation Measure BIO-2 would be required. Compensatory mitigation for permanent impacts to riparian/riverine area would involve purchase of re-establishment credits at a 1:1 mitigation to impact ratio and rehabilitation credits at a 1:1 mitigation to impact ratio and rehabilitation credits at a 1:1 mitigation to							
Mitigation Measure							
 Mitigation Measure BIO-2: To compensate for the permanent loss of 0.21 acre of riparian/riverine resources in the project site, ensure no net loss of riparian/riverine resources, and address the temporal loss of riparian/riverine resources, the project applicant shall purchase 0.21 acre of re-establishment credits and 0.21 acre of rehabilitation credits from the Riverpark Mitigation Bank, based on Wildlife Agencies approval. This compensatory mitigation shall be implemented prior to ground disturbance associated with project construction activities. 							
c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?							
Response: As discussed under Item IV(b), two drainage sirriparian/riverine but do not act as vernal pool habits sir features are not considered waters of the United States States Army Corps of Engineers (USACE) due to the features also do not contain wetland waters subject Board (RWQCB) and California Department of Fish at State or the federally protected wetlands within the preffect and no impacts would occur.	nce no signs of s and would no promulgation of to the Santa A nd Wildlife (CI	f pooling were of require regu of the 2008 Ra Ana Regional DFW). Theref	e observed on- ulation by the I apanos Guida Water Qualit ore, since the	site. The by United ance. The y Control re are no			

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact		
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with an established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?						
Response:						
Wildlife movement includes migration (i.e., usually one way per season), inter-population movement (i.e., long-term genetic flow) and small travel pathways (i.e., daily movement corridors within an animal's territory). While small travel pathways usually facilitate movement for daily home range activities such as foraging or escape from predators, they also provide connection between outlying populations and the main corridor, permitting an increase in gene flow among populations. Redlands Boulevard borders the project site to the east and State Route 60 is approximately 560 feet south of the site. Residential and commercial uses are also immediately south of the project's southern border. Vacant parcels are north and west. The surrounding roadways and developed land uses act as barriers to movement for terrestrial species, thus eliminating any connectivity between blocks of core habitat and constraining wildlife movement in the immediate vicinity of the project site. Furthermore, the project is not located within a conservation and separated to the nearest conservation area (approximately 0.8-mile northeast of the site) by roadways and development.¹ It does not serve as a wildlife corridor or nursery site. The project would not interfere with the movement of native resident or migratory species, nor would it impede wildlife corridors or nursery sites. Therefore, no impacts would occur.						
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance? Response:						
General Plan 2040 and the Moreno Valley Municipal of permitting procedures applicable to sites containing wand woodland resources. The applicable ordinance Chapter 3.48 Western Riverside County MSHCP Fundangered Species. Per Municipal Code Chapter 3 development mitigation fee to assist the City of More Under Municipal Code 8.60, the project would be required that supports that habitat conservation plan for the Swould not conflict with local policies and ordinances.	vetlands, wate includes City Fee Program 3 3.48, the proje no Valley impluired to pay a lo Stephens's Ka	rways and rip of Moreno \ and Chapter ct would be r ement the M ocal developr ngaroo Rat. ⁵	arian habitat, /alley Munici, 8.60 Threate equired to pa SHCP reserve nent and mitio Therefore, th	hillsides, oal Code ened and ay a local e system. gation fee		
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or another approved local, regional, or state habitat conservation plan?						
Response: The project area is located within the Riverside Count with the MSHCP, or any other known local, regional, site does not contain sensitive plant or animal species addition, the site is not within a burrowing owl special project will be conditioned to pay the required Stephe subject to impact fees to support the implementation Implementation of Mitigation Measures BIO-1 and BIO adhered to during construction activities. Therefor conservation area would occur. Sources: 1. Appendix B MSHCP Consistency and Hall	or state habita , vernal pools, survey area c en's Kangaroo for the MSHCl D-2 to ensure t e, no impacts	t conservation or sensitive reproposed construction Rat mitigation P as provided that requirements to the MS	ns plans as the natural communication and the servation and the se	ne project unities. In rea. ⁶ The Il also be rdinance. SHCP are er habitat		
 Appendix B MSHCP Consistency and Habitat Assessment Analysis prepared by Rincon Consultants, Inc., September 2021 Appendix C Jurisdictional Waters and Wetlands Delineation prepared by Rincon Consultants, 						

Inc., September 2021

Less Than **ISSUES & SUPPORTING** Potentially Significant Less Than No Significant with Significant Impact **INFORMATION SOURCES:** Impact Mitigation Impact Incorporated 3. Appendix D Determination Biologically Equivalent or Superior Preservation prepared by Rincon Consultants Inc., October 2021 4. Appendix E Focused Burrowing Owl Survey prepared by HELIX Environmental Planning, May 5. Moreno Valley Municipal Code Chapter 8.60 – Threatened and Endangered Species Moreno Valley Municipal Code Chapter 3.48 - Western Riverside County Multiple Species Habitat Conservation Plan Fee Program Ordinance V. **CULTURAL RESOURCES** – Would the project: a) Cause a substantial adverse change in the significance of a historical resource pursuant to Section 15064.5? Response: A Cultural Resources Survey Report was prepared by HELIX Environmental Planning (HELIX).1 HELIX conducted a records search of the California Historical Resources Information System (CHRIS) at the Eastern Information Center (EIC) on October 24, 2017. The records search covered a one-mile radius around the project area and included archaeological and historical resources, locations and citations for previous cultural resources studies, and a review of the state Office of Historic Preservation (OHP) historic properties directory. The records search indicated the presence of 21 previously recorded cultural resources within a one-mile radius of the project site, all of which are historic. None of the resources were located within the project site. According to Section 15064.5 of the CEQA Guidelines, a substantial adverse change in the significance of an historical resource means physical demolition, destruction, relocation, or alteration of the resource or its immediate surroundings such that the significance of the historical resource would be materially impaired. Because no historical resources are present on site, the proposed project would not result in an adverse change in the significance of an historical resource. Therefore, no impacts to historical resources will occur. b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5? Response: As discussed under Item V(a), a records search was conducted for a one-mile radius around the project area and indicated that there are no recorded archaeological resources within the project site.1 HELIX contacted the Native American Heritage Commission (NAHC) on November 1, 2017 for a Sacred Lands File search and list of Native American contacts for the project area. The NAHC indicated in a response dated November 2, 2017 that no known sacred lands or Native American cultural resources are within the project area. Letters were sent on November 9, 2017 to Native American representatives and interested parties identified by the NAHC. Six responses were received as follows: 1) The Agua Caliente Band of Cahuilla Indians responded on December 18, 2017 and deferred to the Soboba Band of Luiseño Indians. 2) The Augustine Band of Cahuilla Indians responded on December 1, 2017 that they were not aware of any specific cultural resources that would be affected by the project and that Native American Tribes within immediate vicinity of the project be contacted for more specific information regarding cultural resources. In addition, the Tribe encouraged that a monitor who is qualified in Native American cultural resources be contracted for the full-time monitoring during pre-construction and construction phases of the project. If any cultural resources are discovered

to the project area.

during the development of the project, then the Augustine Band of Cahuilla Indians wants to be

3) The Pala Band of Missions Indians determined that the project is not within the Pala Indian Reservation and is beyond the territory that the tribes considers its Traditional use Area in a response dated December 27, 2017. The Tribe defer to the wishes of Tribes in closer proximity

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

- 4) The Rincon Band of Luiseño Indians responded on December 8, 2017 that the project is within the territory of the Luiseño people and within Rincon's specific area of Historic interested. There is a Luiseño place name, Noiléngli, located approximately two miles north of the project. A copy of the cultural resources report and the records search result was requested by the Tribe.
- 5) The Soboba Band of Luiseño Indians stated that the project area is within the bounds of the Tribal Traditional Use Area and is considered sensitive by the people of Soboba in a response dated December 7, 2017. Thus, they requested the following:
 - To initiate a consultation with the project proponents and lead agency.
 - The transfer of information to the Soboba Band of Luiseño Indians regarding the progress of this project should be done as soon as new developments occur.
 - Soboba Band of Luiseño Indians continue to act as a consulting tribal entity for this project.
 - Working in and around traditional use areas intensifies the possibility of encountering cultural resources during the construction/excavation phase. For this reason, the Soboba Band of Luiseño Indians request that Native American Monitor(s) from the Soboba Band of Luiseño Indians Cultural Resource Department to be present during any ground disturbing proceedings. Including surveys and archaeological testing.
 - Request that proper procedures be taken and requests of the tribe be honored.
- 6) The Viejas Band of Kumeyaay Indians responded on November 20, 2017 that the project site has little cultural significant to Viejas and recommends the Tribes closet to the cultural resources are contacted.

In addition, the following responses for tribal consultation were received by the City:

- 1) The Morongo Band of Mission Indians started that the project site is located within the Tribe's aboriginal territory, or in an area considered to be a traditional use area, or one in which the Tribe has cultural ties. The Tribe requested the following in a letter dated April 4, 2018:
 - A thorough records search be conducted by contacting the CHRIS Archaeological Information Centers and a copy of the search results be provided to the Tribe.
 - Tribal monitor participation during the initial pedestrian field survey of the Phase I Study of the project and a copy of the results. If a pedestrian survey has already been conducted, then a copy of the Phase I is requested by the Tribe.
- 2) The Pechanga Band of Luiseño Indians requested formal consultation in a letter dated March 22, 2018. The Tribe stated that they would assist the City in determining the type of environmental document that should be prepared for the project, help identify potential tribal cultural resources, determining substantial adverse effects, and to develop appropriate preservation, avoidance, and/or mitigation measures. It was also requested that the Tribe be added to all distribution lists for public notices and circulation of documents. It was further requested that the Tribe be directly notified of all public hearings and scheduled approvals.
- 3) The Soboba Band of Luiseño Indians requested formal consultation with the City in a letter dated April 3, 2018. The letter requested similar items compared to the December 7, 2017 letter with the Tribe requesting that they continue being a consulting tribal entity for the project and that Native American Monitor(s) from the Soboba Band of Luiseño Indians be present during any ground disturbance. In addition, the transfer of information should be continued and that all proper procedures be taken at the request of the Tribe.

A pedestrian survey of the project site was conducted on November 10, 2017 by a HELIX archaeologist and Native American monitor from the Soboba Band of Luiseño Indians. The project area had excellent overall visibility with some vegetation obscuring ground area and a moderate amount of modern trash scattered throughout the project boundaries. No prehistoric or historic cultural material was observed within the archaeological survey area.

Although no archaeological resources have been recorded or identified within the project site, the potential to discover archaeological resources that may also be considered historical resources during

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

construction of the project remains a possibility. As such, impacts to unanticipated resources are potentially significant. The following mitigation would reduce archaeological impacts to less than significant levels.

Mitigation Measures

- Mitigation Measure CR-1: Prior to the issuance of a grading permit, the Developer shall retain a professional archaeologist to conduct monitoring of all mass grading and trenching activities. The Project Archaeologist shall have the authority to temporarily redirect earthmoving activities in the event that suspected archaeological resources are unearthed during project construction. The Project Archaeologist, in consultation with the Consulting Tribe(s), the contractor, and the City, shall develop a Cultural Resources Management Plan (CRMP) in consultation pursuant to the definition in AB 52 to address the details, timing and responsibility of all archaeological and cultural activities that will occur on the project site. A consulting tribe is defined as a tribe that initiated the AB 52 tribal consultation process for the Project, has not opted out of the AB 52 consultation process, and has completed AB 52 consultation with the City as provided for in Public Resources Code Section 21080.3.2(b)(1) of AB 52. Details in the Plan shall include:
 - a) Project grading and development scheduling;
 - b) The Project Archeologist and the Consulting Tribes(s) as defined in Mitigation Measure CR-1 shall attend the pre-grading meeting with the City, the construction manager and any contractors and will conduct a mandatory Cultural Resources Worker Sensitivity Training to those in attendance. The Training will include a brief review of the cultural sensitivity of the project and the surrounding area; what resources could potentially be identified during earthmoving activities; the requirements of the monitoring program; the protocols that apply in the event inadvertent discoveries of cultural resources are identified, including who to contact and appropriate avoidance measures until the find(s) can be properly evaluated; and any other appropriate protocols. All new construction personnel that will conduct earthwork or grading activities that begin work on the project following the initial Training must take the Cultural Sensitivity Training prior to beginning work and the Project Archaeologist and Consulting Tribe(s) shall make themselves available to provide the training on an as-needed basis;
 - c) The protocols and stipulations that the contractor, City, Consulting Tribe(s) and Project Archaeologist shall follow in the event of inadvertent cultural resources discoveries, including any newly discovered cultural resource deposits that shall be subject to a cultural resources evaluation.
- Mitigation Measure CR-2: Prior to the issuance of a grading permit, the Developer shall secure agreements with the Morongo Band of Mission Indians, Pechanga Band of Luiseño Indians, Soboba Band of Luiseño Indians for tribal monitoring. The Developer is also required to provide a minimum of 30 days advance notice to the tribes of all mass grading and trenching activities. The Native American Tribal Representatives shall have the authority to temporarily halt and redirect earth moving activities in the affected area in the event that suspected archaeological resources are unearthed. If the Native American Tribal Representatives suspect that an archaeological resource may have been unearthed, the Project Archaeologist or the Tribal Representatives shall immediately redirect grading operations in a 100-foot radius around the find to allow identification and evaluation of the suspected resource. In consultation with the Native American Tribal Representatives, the Project Archaeologist shall evaluate the suspected resource and make a determination of significance pursuant to Public Resources Code Section 21083.2.
- Mitigation Measure CR-3: In the event that Native American cultural resources are discovered during the course of grading (inadvertent discoveries), the following procedures shall be carried out for final disposition of the discoveries:

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

- a) One or more of the following treatments, in order of preference, shall be employed with the tribes. Evidence of such shall be provided to the City of Moreno Valley Planning Department:
 - i. Preservation-In-Place of the cultural resources, if feasible. Preservation in place means avoiding the resources, leaving them in the place they were found with no development affecting the integrity of the resources.
 - ii. On-site reburial of the discovered items as detailed in the treatment plan required pursuant to Mitigation Measure CR-1. This shall include measures and provisions to protect the future reburial area from any future impacts in perpetuity. Reburial shall not occur until all legally required cataloging and basic recordation have been completed. No recordation of sacred items is permitted without the written consent of all Consulting Native American Tribal Governments as defined in Mitigation Measure CR-1.
- **Mitigation Measure CR-4:** The City shall verify that the following note is included on the Grading Plan:

"If any suspected archaeological resources are discovered during ground-disturbing activities and the Project Archaeologist or Native American Tribal Representatives are not present, the construction supervisor is obligated to halt work in a 100-foot radius around the find and call the Project Archaeologist and the Tribal Representatives to the site to assess the significance of the find."

Mitigation Measure CR-5: If potential historic or cultural resources are uncovered during excavation or construction activities at the project site, work in the affected area must cease immediately and a qualified person meeting the Secretary of the Interior's standards (36 CFR 61), Tribal Representatives, and all site monitors per the mitigation measures, shall be consulted by the City to evaluate the find, and as appropriate recommend alternative measures to avoid, minimize or mitigate negative effects on the historic, or prehistoric resource. Determinations and recommendations by the consultant shall be immediately submitted to the Planning Division for consideration and implemented as deemed appropriate by the Community Development Director, in consultation with the State Historic Preservation Officer (SHPO) and any and all Consulting Native American Tribes as defined in Mitigation Measure CR-1 before any further work commences in the affected area.

Adherence to Mitigation Measures CR-1 through CR-5 would reduce impacts to cultural resources to a less-than-significant level.

	•		
c)	Disturb any human remains, including those interred outside of formally dedicated cemeteries?		
_			

Response:

No human remains have been identified within the project site; however, the discovery of human remains is always a possibility during ground disturbing activities. If human remains are found, California Health and Safety Code Section 7050.5 states no further disturbance shall occur until the County Coroner has made a determination of origin and disposition pursuant to Public Resources Code Section 5097.98. In the event of an unanticipated discovery of human remains, the County Coroner must be notified immediately. If the human remains are determined to be prehistoric, the coroner would notify the Native American Heritage Commission, which would determine and notify a most likely descendant (MLD). The MLD has 48 hours from being granted site access to make recommendations for the disposition of the remains. If the MLD does not make recommendations within 48 hours, the landowner shall reinter the remains in an area of the property secure from subsequent disturbance. With adherence to State law

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

and incorporation of Mitigation Measure CR-6, impacts related to the discovery of human remains would be less than significant.¹

Mitigation Measures

• Mitigation Measures CR-6: If human remains are discovered, no further disturbance shall occur in the affected area until the County Coroner has made necessary findings as to origin. If the County Coroner determines that the remains are potentially Native American, the California Native American Heritage Commission shall be notified within 5-days of the published finding to be given a reasonable opportunity to identify the "most likely descendant". The "most likely descendant" shall then make recommendations and engage in consultations concerning the treatment of the remains (Public Resources Code 5097.98) (GP Objective 23.3, CEQA).

Adherence to Mitigation Measure CR-6 would reduce impacts to a less-than-significant level.

Sources:

1. Appendix F Cultural Resources Survey Report prepared by HELIX, January 2018.

VI. ENERGY – Would the project:

a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

 _

Response:

The proposed project would use nonrenewable resources for construction and operation of the project. Natural resources that would be utilized by the project include petroleum-based fuels for vehicles and equipment. The anticipated use of these resources is detailed in the following subsections. As supported by the discussion below, the proposed project would not create energy demand that would result in a significant environmental impact.

Construction Energy Demand

During project construction, energy would be consumed in the form of petroleum-based fuels used to power off-road construction vehicles and equipment on the project site, construction worker travel to and from the project site, and vehicles used to deliver materials to the site. The project would require site preparation and grading, including hauling material off-site; pavement and asphalt installation; building construction; architectural coating; and landscaping and hardscaping. As shown in Table 6, project construction would require approximately 30,661 gallons of diesel fuel and approximately 6,102 gallons of gasoline. Of the 28,282 gallons of diesel fuel, construction equipment would consume an estimated 27,119 gallons and hauling and vendor trips would consume approximately 3,542 gallons of diesel fuel. These construction energy estimates are conservative because they assume the equipment used operates every day of construction.¹

Table 6 Estimated Fuel Consumption during Construction

	Fuel Consumption (gallons)				
Source	Gasoline	Diesel			
Construction Equipment and Hauling Trips	_	30,661			
Construction Worker Vehicle Trips	6,102	-			
See Appendix G for energy calculation sheets.					

Energy use during construction would be temporary, and construction equipment used would be typical of similar-sized construction projects in the region. In addition, construction contractors would be required to comply with the provisions of California Code of Regulations (CCR) Title 13 Sections 2449 and 2485, which prohibit diesel-fueled commercial motor vehicles and off-road diesel vehicles from idling for more

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

than five minutes, minimizing unnecessary fuel consumption. Construction equipment would be subject to the U.S. Environmental Protection Agency (USEPA) Construction Equipment Fuel Efficiency Standard, which would also minimize inefficient, wasteful, or unnecessary fuel consumption. Furthermore, per applicable regulatory requirements such as California's Green Building Standards Code ([CALGreen] CCR, Title 24, Part 11), the project would comply with construction waste management practices to divert a minimum of 75 percent of construction and demolition debris. These practices would result in efficient use of energy necessary to construct the project. In the interest of cost-efficiency, construction contractors also would not utilize fuel in a manner that is wasteful or unnecessary. Therefore, the project would not involve the inefficient, wasteful, and unnecessary use of energy during construction, and the construction-phase impact related to energy consumption would be less than significant.

Operational Energy Demand

Operation of the project would contribute to regional energy demand by consuming electricity, natural gas, and gasoline and diesel fuels. Natural gas and electricity would be used for heating and cooling systems, lighting, appliances, and water and wastewater conveyance, among other purposes. Gasoline and diesel consumption would be associated with vehicle trips associated with customers and employees. As shown in Table 7, project operation would require approximately 88,551gallons of gasoline and 15,118 gallons of diesel fuel for transportation fuels, 0.1 GWh of electricity, and 121 U.S. therms of natural gas. Transportation fuels would represent the greatest operational use of energy associated with the project. Compared to the existing undeveloped site, the project would result in an increase in the use of transportation fuel, electricity, and natural gas.^{1,2}

Table 7 Estimated Fuel Consumption during Operation

	<u> </u>					
Source	Energy Consumption per Year ¹					
Transportation Fuels ²						
Gasoline	88,551 gallons	9,722 MMBtu				
Diesel	15,118 gallons	1,927 MMBtu				
Electricity	0.1 GWh	263 MMBtu				
Natural Gas Usage	121 U.S. therms	1 MMBtu				

¹ Energy consumption is converted to MMBtu for each source

MMBtu: million metric British thermal units; GWh: Gigawatt hours

See Appendix A for CalEEMod output results for electricity and natural gas usage and Appendix G for transportation energy calculation sheets

The project would comply with all standards set in the California Building Standards Code, which would minimize the wasteful, inefficient, or unnecessary consumption of energy resources during operation. California's CALGreen standards (CCR Title 24, Part 11) require implementation of energy efficient light fixtures and building materials into the design of new construction projects. Furthermore, the 2019 Building Energy Efficiency Standards (California Building Code Title 24, Part 6) requires newly constructed buildings to meet energy performance standards set by the Energy Commission. These standards are specifically crafted for new buildings to result in energy efficient performance so that the buildings do not result in wasteful, inefficient, or unnecessary consumption of energy. The standards are updated every three years and each iteration is more energy efficient than the previous standards, with the 2019 standards being 30 percent more efficient for non-residential land uses than the 2016 standards. Furthermore, the project would further reduce its use of nonrenewable energy resources because the electricity generated by renewable resources provided by Southern California Edison (SCE) or the Moreno Valley Electric Utility (MVU) continues to increase to comply with State requirements through Senate Bill (SB) 100, which requires electricity providers to increase procurement from eligible renewable energy resources to 33 percent of total retail sales by 2020, 60 percent by 2030, and

² The estimated number of average daily trips associated with the project is used to determine the energy consumption associated with fuel use from operation of the project. According to CalEEMod calculations (see Appendix A), the project would result in approximately 1,907,475 annual vehicle miles traveled (VMT).

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact				
100 percent by 2045. Through adherence with the above regulations, operational building energy usage would not be wasteful, inefficient, or unnecessary, and impacts would be less than significant.								
 b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency? Response: 								
The City adopted its Energy Efficiency and Climate Action Strategy (Strategy) in 2012, which includes energy conservation goals and policies for municipal operations in Moreno Valley, and outreach programs to encourage local businesses and residents to implement utility energy efficiency measures such as design features that achieve water and energy use reductions, including compliance with Title 24.3 The goals and policies established by the Strategy are geared towards municipal operations and the establishment of new local energy policies and, therefore, have limited applicability to commercial projects in the city. However, the proposed project would be in accordance with the overall intent of the Strategy. For example, the project would be required to comply with the non-residential mandatory measures in the 2019 CALGreen, Title 24, Part 11. The proposed project would also be required to comply with the energy standards in the California Energy Code, CALGreen Part 6. In addition, the project would provide electric vehicle parking spaces and use electricity from SCE and or MVU which are both subject to SB 100. Compliance with these regulations would minimize potential conflicts with adopted energy conservation plans. There would be no impact.								
 Appendix G Energy Construction and Operational Energy Fuel Consumptions Appendix A Air Quality and Greenhouse Gas Impact Study City of Moreno Valley Energy Efficiency and Climate Action Strategy, adopted October 9, 2012 								
 Section I – Energy Efficiency VII. GEOLOGY AND SOILS – Would the present the present the section of the section	roiect·							
a) Directly or indirectly cause potential substantial a death involving:		ts, including th	ne risk of loss	, injury or				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to https://www.conservation.ca.gov/cgs/Documents/SP 042.pdf								
Response:								
The project site is located within a seismically active region and is within an Alquist-Priolo earthquake fault zone. The nearest mapped fault is the San Jacinto Fault, which is located approximately 0.6 mile northeast of the project site, as mapped on City of Moreno Valley 2040 General Plan Final Environmental Impact Report (FEIR) Figure 4.7-1, Fault Zones. Because there are no faults located on the project site, the potential for the proposed project to expose people or structures to substantial adverse effects, including the risk of loss, injury or death involving ground rupture is considered low, and impacts would be less than significant.								
ii) Strong seismic ground shaking?								
Response:								
Response: As discussed above under Item VI(a)(i), the project site is located in a seismically active area of southern California and is expected to experience moderate to severe seismic events during the lifetime of the proposed project. As a mandatory condition of project approval, the project would be required to construct the proposed buildings in accordance with the California Building Standards Code (CBSC), also known as California Code of Regulations (CCR), Title 24 (Part 2), and the City of Moreno Valley Building Code, which is based on the CBSC with local amendments. The CBSC and City of Moreno Valley Building								

Code provide standards that must be met to safeguard life or limb, health, property, and public welfare by regulating and controlling the design, construction, quality of materials, use and occupancy, location, and maintenance of all buildings and structures, and have been specifically tailored for California

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact				
earthquake conditions. With mandatory compliance with these standards, the project would not expose people or structures to substantial adverse effects, including loss, injury or death, involving seismic ground shaking, and impacts would be less than significant.								
iii) Seismic-related ground failure, including liquefaction?								
Response: Liquefaction occurs when loose, unconsolidated, water-laden soils are subject to shaking, causing the soils to lose cohesion and behave as a liquid. According to City of Moreno Valley 2040 General Plan FEIR Figure 4.7-2, the project site is located in an area with a moderate potential for liquefaction. ² However, in the Preliminary Geotechnical Report, there is low potential for liquefication on-site (Appendix H). ³ In addition, as described above in Item VI(a)(ii), the City would require that the property be developed in accordance with the latest applicable seismic safety guidelines, including the standard requirements of the CBSC and the City of Moreno Valley Building Code. Therefore, the project's impacts related to exposing people or structures to potential substantial adverse effects, including the risk of loss, injury or death involving seismic-related ground failure, including liquefaction, would be less than significant.								
iv) Landslides?								
Response: The City of Moreno Valley 2040 General Plan identifies the Badlands area of the city as having a potential for landslides. The project site is located approximately 1.5 miles south from the Badlands area and is in a flat area lacking steep slopes. ⁴ Therefore, the project site is not at risk of landslides and no related impacts would occur.								
b) Result in substantial soil erosion or the loss of topsoil?								
On-site soils include Hanford coarse sandy loam (HcC) and Pachappa fine sandy loam (PaC2), each of which comprises approximately half the area of the site. Development of the vacant site would involve grading and soil movement, which could result in erosion. Because the project site has an area greater than one acre, the proposed project is required to obtain a National Pollutant Discharge Elimination System (NPDES) permit. A Storm Water Pollution Prevention Plan (SWPPP) would also be required to address erosion and discharge impacts associated with the proposed on-site grading. In addition to preparation of a SWPPP, new development projects submitted to the City would be required to submit a project-specific Water Quality Management Plan (WQMP). A project specific WQMP was prepared for this project (Appendix H) by Winchester Associates, Inc. The WQMP identifies measures to treat and/or limit the entry of contaminants into the storm drain system. Through compliance with the required permits and plans and preparation of the WQMP, the project would not result in substantial soil erosion or loss of topsoil, and impacts would be less than significant.								
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in onor off-site landslide, lateral spreading, subsidence, liquefaction or collapse? Response:								
See Items VI(a)(iii), VI(a)(iv), and VI(b). The project site has a low potential for liquefaction, landslides, and soil erosion. With compliance with the CBSC and the City of Moreno Valley Building Code, design and engineering standards, impacts would be less than significant.								
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property? Response:								

Less Than **ISSUES & SUPPORTING** Less Than Potentially Significant No Significant Significant with Impact **INFORMATION SOURCES:** Impact Mitigation Impact Incorporated Expansive soils generally have a significant amount of clay particles, which can give up water (shrink) or take on water (swell). The change in volume exerts stress on buildings and other loads placed on these soils. The extent of shrink/swell is influenced by the amount and kind of clay in the soil. The occurrence of these soils is often associated with geologic units having marginal stability. The distribution of expansive soils can be widely dispersed, and they can occur in hillside areas as well as low-lying alluvial basins. The soil types discussed in Item VI(b) have a low shrink-swell potential due to their low clay content. Additionally, development of the proposed project site would be required to adhere to the CBSC and the City of Moreno Valley Building Code design and engineering standards. Impacts associated with this issue would therefore be less than significant. e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater? Response: The project would be served by an on-site septic system. Septic tank installation would be subject to review, approval, and permitting by the Riverside County Department of Environmental Health prior to commencement of septic system construction. To obtain a county permit for a new septic system, the Riverside County Department of Environmental Health requires that a percolation report be prepared by

review, approval, and permitting by the Riverside County Department of Environmental Health prior to commencement of septic system construction. To obtain a county permit for a new septic system, the Riverside County Department of Environmental Health requires that a percolation report be prepared by a Professional of Record for the proposed septic system to ensure that the soils can drain excess wastewater and therefore suitable to hold a septic tank. The Riverside County Department of Environmental Health would also review the site plan of the septic system to check that the design is adequate and complies with applicable building codes, including the California Building Code and Uninform Plumbing Code. Adherence to this process would reduce impacts to a less than significant level.

f)	Directly or indirectly destroy a upaleontological resource or site or upeologic feature?	

Response:

As shown in Figure 4-7.4 of the City of Moreno Valley's 2040 General Plan FEIR, the project site is located in a "Low Potential" paleontological resource area as excavation does not exceed 10 feet.² Exceeding 10 feet of excavation would change the paleontological sensitivity to high. The project would excavate greater than 10 feet below the ground surface when excavating for the underground storage tanks, which will require approximately 18 feet depth for excavation. Therefore, the possibility to uncover unique paleontological resources or geological features is potentially significant. Mitigation Measure GEO-1 has been identified to reduce paleontological resource impacts to less than significant.

Mitigation Measures

Mitigation Measure GEO-1: Prior to construction involving excavation more than 10 feet below existing surface grade, the construction contractor shall provide evidence that a qualified paleontologist has been retained, and that the paleontologist(s) shall be present during all grading and other significant ground-disturbing activities that reach more than 10 feet below existing surface grade. This is anticipated to only be for underground storage tank excavation for the proposed project. In the event fossiliferous deposits are encountered, the following measures shall be implemented:

• Monitoring shall be conducted by qualified paleontological monitor(s) of excavation in areas identified as likely to contain paleontological resources, including very old alluvial fan deposits. Paleontological monitors shall be equipped to salvage fossils as they are unearthed, to avoid construction delays, and to remove samples of sediments that are likely to contain the remains of small fossil invertebrates and vertebrates. Monitors shall be empowered to temporarily halt or divert equipment to allow removal of abundant or large specimens. Monitoring may be reduced

Potentially Significant Impact

Less Than Significant with Mitigation Incorporated

Less Than Significant Impact

No Impact

if the potentially fossiliferous units are determined upon exposure and examination by qualified paleontological personnel to have low potential to contain fossil resources.

- Paleontological monitoring of any earthmoving shall be conducted by a monitor, under direct quidance of a qualified paleontologist. Earthmoving in areas of the parcel where previously undisturbed sediments are buried, but not otherwise disturbed, will not be monitored.
- If too few fossil remains are found after 50 percent of the planned-for earthmoving below 10 feet has been completed, monitoring can be reduced or discontinued in those areas at the project paleontologist's direction.
- Recovered specimens shall be prepared to a point of identification and permanent preservation, including washing of sediments to recover small invertebrates and vertebrates.
- Specimens shall be identified and curated into a professional, fully accredited museum repository with permanent retrievable storage. The paleontologist must have a written repository agreement in hand prior to the initiation of mitigation activities.
- A report of findings with and appended itemized inventory of specimens shall be prepared. The report and inventory, when submitted to the City along with confirmation of the curation of recovered of recovered specimens into an established, accredited museum repository, will signify completion of the program to mitigate impacts to paleontological resources.

Adherence to Mitigation Measure GEO-1 would reduce impacts to paleontological resources to a lessthan-significant level.

Sources:

- 1. California Geological Survey Information Warehouse: Regulatory Maps, California Department of Conservation, 2015, https://maps.conservation.ca.gov/cgs/informationwarehouse/
- 2. Final Environmental Impact Report City for the MoVal 2040: Moreno Valley Comprehensive Plan Update, Housing Element Update, and Climate Action Plan
 - Section 4.7 Geology and Soils
 - Figure 4.7-1 Fault Zone
 - Figure 4.7-2 Liquefaction
 - Figure 4.7-4 Paleontological Sensitivity
 - Figure 5.6-2 Seismic Hazards
 - Section 5.10 Cultural Resources
 - Figure 5.10-3 Palaeontologic Resource Sensitive Areas
- 3. Appendix H Preliminary Geotechnical Investigation Report prepared by Geotechnical Group. **April 2017**
- 4. Moreno Valley 2040 General Plan, adopted June 15, 2021
 - Chapter 6 Safety Element
 - Map S-3: Landslide Hazards
- 5. Web Soil Survey, U.S. Department of Agriculture, 2017, https://websoilsurvey.sc.egov.usda.gov/App/WebSoilSurvey.aspx
- 6. Appendix I Preliminary Hydrology Studies and Project Specific Water Quality Management Plan prepared by Winchester Associates, Inc., April 2021
- Riverside County Department of Environmental Health, Septic Systems, 2015. https://www.rivcoeh.org/OurServices/LandDevelopment/SepticSystems

VIII. GREENHOUSE GAS EMISSIONS - W	ould the pro	ject:		
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?				
Response:				
The vast majority of individual projects do not general climate change. However, physical changes cause significant cumulative effects, even if individual changes.	ed by a proje	ct can contr	ibute increme	entally to

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

impact would be cumulatively considerable. "Cumulatively considerable" means that the incremental effects of an individual project are significant when viewed in connection with the effects of past projects, other current projects, and probable future projects (CEQA Guidelines Section 15064[h][1]).

According to CEQA Guidelines Section 15183.5, projects can tier off of a qualified GHG reduction plan, which allows for project-level evaluation of GHG emissions through the comparison of the project's consistency with the GHG reduction policies included in a qualified GHG reduction plan. This approach is considered by the Association of Environmental Professionals (AEP) in their white paper, *Beyond Newhall and 2020*, to be the most defensible approach presently available under CEQA to determine the significance of a project's GHG emissions. The City of Moreno Valley has adopted a qualified climate action plan (CAP).

The City of Moreno Valley CAP was adopted on June 15, 2021. The CAP addresses the SB 32 target of reducing GHG emissions 40 percent below 1990 levels by 2030 and the GHG emission target set in EO S-3-15 for 2050 (i.e., 80 percent below 1990 levels by 2050). Pursuant with CEQA Guidelines Section 15183.5(b), the CAP is considered a qualified GHG reduction strategy that will allow developments to tier off and streamline the GHG analyses under CEQA. The CAP is a qualified GHG reduction strategy since it completed the following steps required to be considered qualified: the GHGRS quantified community-wide GHG emissions; the GHGRS prepared GHG projections for the next target year (e.g. 2030) for business-as-usual conditions and conditions that include GHG reduction measures; the GHGRS established emission level targets based on substantial evidence; the GHGRS specified mandatory and enforceable reduction measures that are applicable to existing developments, new developments, and municipal operations; the GHGRS includes an implementation and monitoring plan to monitor the plan's progress; the GHRS underwent CEQA review and was adopted after public hearings. Thus, the 2030 GHGRS is a qualified CAP that projects can tier off of for CEQA review. In addition, the CAP includes a consistency checklist for project-level tiering purposes. GHG emissions associated with the proposed project would be less than significant if the project is consistent with the Climate Action Plan Consistency Checklist. Table 8 shows the projects consistency with the CAP checklist.

Table 8 Project Consistency with the City of Moreno Valley CAP Checklist¹

Goals, Targets, and Policies	Consistency
City of Moreno Valley General Plan Consistency	
Are the proposed land uses in the project consistent with the existing 2040 General Plan land use and zoning designation?	Consistent The project is a commercial development consisting of a 11 fueling stations (16 total dispensers), a 5, 123 square foot food mart including a 1,200 square feet office and storage in the mezzanine level, and a 1,200 square foot retail store adjacent to the food mart. The project site is designated and zoned Highway Office/Commercial (H-OC) District, which allows for office, research/development facilities, retail, and service commercial uses. The project would be consistent with this land use designation and zoning since it would be a commercial use open to the general public.
City of Moreno Valley CAP Measure Consistency	

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact		
If the project includes new residential, commercial, and/or mixed-use development, would the project implement trip reduction programs? (Examples of residential trip reduction programs, or transportation demand management (TDM) strategies include, among others, installing and maintaining on-site bicycle parking; providing designated parking spaces for car share operations; offering an annual carshare membership to building residents or employees; posting wayfinding signage near major entrances directing building users to bus stops, bicycle facilities, car sharing kiosks, and other alternative travel options; and unbundling the price of parking from rents or sale of units.)	Not Applicable The project would accommodate a few employees. The project is anticipated to be exempt from the trip reduction requirement because the limited number of employees generated by the project would be less than typical thresholds. However, the project would include on-site bicycle parking for employee and customer use.					
For projects including new construction or major remodeling of residential development, does the project include installation of real-time energy smart meters?	Not Applicable The project is a co		nd would not be	required		
During project construction, will clear signage reminding construction workers to limit idling of construction equipment provided?	Consistent The project would have clear signage on-site during all construction activities to limit idling of construction equipment.					
During project construction, will the project limit construction-related GHG emissions through one or more of the following measures: substituting electrified or hybrid equipment for diesel/gas powered equipment; using alternative-fueled equipment on-site; and avoiding use of on-site diesel/gas powered generators?	Consistent The project would avoid the use of on-site diesel/gas powered generators. Instead, electricity would be provided on-site during construction.					
For any new landscaping to be included as part of the project, does the project incorporate climate-appropriate, water-wise landscaping features, such as those identified in the County of Riverside Guide to California Friendly Landscaping.	Consistent The project would water-wise landsc County of Riversic Landscaping.	caping features t	hat are identifie			
As shown in Table 8, the project would be consisten project would not conflict with an applicable plan, policing GHG emissions, and this impact would be less than	cy, or regulation					
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emission of greenhouse gases?						
Response:						
As detailed above, the City of Moreno Valley CAP addresses the 2017 CARB Scoping Plan and SB 32 in addition to EO S-3-15. Consistency with the CAP ensures that projects would be consistent with the applicable plan, policy, and regulations adopted to reduce GHG emissions. The proposed project would not conflict with plans and policies aimed at reducing GHG emissions since it is consistent with the CAP Checklist. Therefore, impacts would be less than significant.						
Sources:						
Appendix A Air Quality and Greenhouse Stud 2021	dy prepared by	Rincon Cons	ultants, Dece	mber		
IX. HAZARDS AND HAZARDOUS MAT	FRIALS - W	ould the pr	oiect·			

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact		
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?						
Response:						
The proposed project involves the construction and op- dispensers. The Riverside County Department of Envi Agency (CUPA), would review the project to ensure the with Federal and State Water Resources Control Bo transport of fuel and tank filling operations would be of requirements. Other potentially hazardous materials a stored at the project site in accordance with regulated create a significant hazard to the public or the environ hazardous materials, or from accidents involving the re would be less than significant.	ronmental Hea e fuel dispensir pard (SWRCB onducted in co associated wit ory requirement ment through	alth, as the Ceng system is done of the congression	ertified Unified lesigned in ac or leak detec h applicable r ility could be osed project v ransport, or di	Program cordance stion. The egulatory used and would not isposal of		
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the					
Response:						
accordance with applicable regulatory requirements. In not expected. Construction activities would potentiall substances/oils during heavy equipment operation. However, any transport, use, and storage of hazardo project would be conducted in accordance with all Hazardous Materials Transportation Act, Resource Hazardous Material Management Act, and the Califimpacts from the upset and accident conditions involves than significant.	y use a limite for site prepous materials of applicable St Conservation fornia Code of	d amount of paration and during constructed and federand Recover frequencies.	hazardous, fl building con uction of the eral laws, suc ery Act, the (i, Title 22.1 T	ammable struction. proposed the as the California Therefore,		
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?						
Response:						
The nearest school, Valley View High School, is local The proposed project would comply with applicable Therefore, the project would not emit hazardous emission materials within one-quarter mile of an existing or project.	regulatory req sions or create	uirements for significant ha	r hazardous r azards from h	naterials. azardous		
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?						
Response: Pursuant to Government Code Section 65962.5, the Department of Toxic Substance Control's Envirostor and SWRCB Geotracker databases were searched for hazardous materials sites at or in proximity to the project site. The results of the searches indicated that no hazardous materials sites are located on or immediately adjacent to the project site. The closest listed site is located approximately 4.5 miles west of the project site on Hemlock Avenue. The site is associated with tetrachlorethylene contamination at a site used for dry cleaning. The site has no potential to have an adverse effect on the project site. As such, no impacts would occur.						

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact				
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?								
Response:								
The project site is located approximately 6.5 miles not City of Moreno Valley 2040 General Plan Map S-7, a site is not located within the Airport Influence Area. 2,3 identified within the Airport Influence Area, implement safety hazard for people living or working in the project.	Airport Land U Because the ation of the pr	lse Compatib project site is oposed proje	ility Zones, th not located ir ct would not r	e project n an area				
f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?								
Response:								
The project site does not contain emergency facilitie route. During construction and long-term operation, the adequate emergency access for emergency vehicles project would not interfere with an adopted emergency less than significant. ^{4,5}	ne proposed po s, as required	roject would by by the City. I	e required to Because the p	maintain proposed				
g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?								
Response:								
According to City of Moreno Valley 2040 General Plar in an area of substantial or high fire risk. 6 The surround lots mostly devoid of vegetation. No wildlands are loc implementation of the proposed project would not experinjury or death involving wildland fires, including where residences are intermixed with wildlands. No in	ding area has e cated on or adj ose people or s ere wildlands	either been de jacent to the p structures to a are adjacent	eveloped or ha project site. T significant ris to urbanized	as vacant herefore, sk of loss, areas or				
Sources:								
 Title 9 – Planning and Zoning of the Moreno \ Moreno Valley 2040 General Plan, adopted J Chapter 6 – Safety Element 	une 15, 2021	al Code						
 Map S-7 – Airport Land Use Compatibility Zones March Air Reserve Base (MARB)/March Inland Port (MIP) Airport Land Use Compatibility Plan (ALUCP) on November 13, 2014, (http://www.rcaluc.org/Portals/13/17%20-%20Vol.%201%20March%20Air%20Reserve%20Base%20Final.pdf?ver=2016-08-15-145812-700) 								
 4. Local Hazard Mitigation Plan, City of Moreno Valley Fire Department, adopted October 4, 2011, amended 2017, http://www.moval.org/city_hall/departments/fire/pdfs/haz-mit-plan.pdf Chapter 5 – Wildland and Urban Fires 								
 Figure 5-2 – Moreno Valley High Fire Chapter 12 – Dam Failure/Inundation 	 Figure 5-2 – Moreno Valley High Fire Area Map 2016 Chapter 12 – Dam Failure/Inundation 							
Figure 12-2 Moreno Valley EvacuatioChapter 13 – Pipeline	n Routes Map	2015						
 Figure 13-1 – Moreno Valley Pipeline Chapter 14 – Transportation 	Map 2016							
- Figure 14-1.1 – Moreno Valley Air Cra		ea Map 2016						
Chapter 16 – Hazardous Materials Accident Moreno Valley Hazardous Materials Site Locations Map 2016								

Less Than **ISSUES & SUPPORTING** Potentially Significant Less Than No Significant with Significant Impact **INFORMATION SOURCES:** Impact Mitigation Impact Incorporated Plan, 5. Emergency Operations City of March 2009, Moreno Valley, http://www.moval.org/city_hall/departments/fire/pdfs/mv-eop-0309.pdf Hazard Mitigation and Hazard Analysis Threat Assessment 2 – Hazardous Materials Threat Assessment 3 – Wildfire Threat Assessment 6 – Transportation Emergencies Figure 17 – Air Crash Hazards 6. Final Environmental Impact Report City of Moreno Valley for the MoVal 2040: Moreno Valley Comprehensive Plan Update, Housing Element Update, and Climate Action Plan Section 4.18 – Wildfire Figure 4.18-1 – California Fire Hazard Severity Zone

X.	HYDROLOGY AND WATER QUALIT	Y – Would	the project:	
a)	Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?			

Response:

Temporary site preparation, grading, building construction, and paving activities during construction would result in the generation of potential water quality pollutants such as silt, debris, chemicals, paints, and other solvents with the potential to affect water quality. The on-site construction activities would be required to comply with the City of Moreno Valley Municipal Code Chapter 8.10 *Stormwater/Urban Runoff Management and Discharge Controls*. In addition, all of Moreno Valley County is within the jurisdiction of the RWQCB, which requires that all sites that disturb one acre or more obtain a National Pollutant Discharge Elimination System (NPDES) permit (Order No. R8-2010-0033) per Municipal Code Section 8.21.170. The project would disturb approximately 2.4 acres; therefore, adoption and implementation of a SWPPP would be required during construction. Best management practices (BMPs) that may be implemented during construction include silt fences, gravel bag barriers, street sweeping, solid waste management, stabilized construction entrance/exit, water conservation practices, and spill prevention and control. Implementation of these or similar BMPs would reduce potentially adverse impacts of storm waters discharged from portions of the site affected by construction activities.

Long-term operation of the project may also generate water quality pollutants such as sediment, nutrients, heavy metals, organic compounds, trash and debris, oxygen-demanding substances, oils and grease, bacteria and viruses, and pesticides. As required by the City, the project proponent prepared a Water Quality Management Plan (WQMP). The project specific WQMP was prepared by Winchester Associates, Inc (Appendix I).³ Operational BMPs include designing landscaping to minimize irrigation and runoff; bioretention facilities with underdrain and Filterra Bioscape open top planters; prohibiting vehicle equipment repair and maintenance, avoiding roofing, gutters, and trim made of copper or other unprotected metals that may leach into runoff; and sweeping sidewalks and parking lots regularly to prevent accumulation of litter and debris. In addition, the project would need to install a 40 foot by 120-foot underground detention/infiltration system to manage the increased downstream volume with the proposed development. Adoption and implementation of the required long term WQMP, which reflect the project's commitment to install and maintain appropriate stormwater structural facilities, as well as implement non-structural BMPs, would reduce potential long-term water quality impacts related to stormwater discharges to a less-than-significant level.

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact			
b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?							
Response:							
The proposed project would not require the use of gr Municipal Water District (EMWD) for imported water. ⁴ area on-site through the development of canopy struction 79,305 square feet). ³ An increase in impervious square groundwater recharge. However, runoff from the proproposed on-site bio-retention basins, where it would infiltrate into the local groundwater basin. Therefore, the on groundwater supply and recharge.	The project wo ctures, building surface would posed impervious be eventually	ould increase gs, and a par potentially r ous surfaces conveyed to	the imperviou king lot (appro educe the a would be dire an area wher	s surface eximately mount of ected into e it could			
 Substantially alter the existing drainage pattern of of the course of a stream or river or through the a would: 							
i) Result in substantial erosion or siltation on- or off-site?							
Response:							
The existing site is relatively flat with a gentle fa development would be similar as the existing condition southeast property corner, where it will be intercepted into the existing concrete drainage ditch along Redlar	ns. The storm by the existing	water runoff v storm drain i	will flow weste	erly to the			
As discussed under Item X(a), the project has prepare the requirements from a project specific SWPPP and these regulatory requirements would reduce ero implementation of the proposed project would not a manner which would result in substantial erosion or s than significant.	the Santa Ana sion and silt lter the existir	RWQCB NP ation on- and ag drainage p	DES. Compli nd-off-site. To pattern of the	ance with herefore, site in a			
ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or offsite?							
Response:							
The project would increase the impervious surface at However, the project would implement Low Impact De Drainage Management Areas (DMA). ³ These BMPs at of amount of surface runoff that would result in flow significant.	evelopment (Ll along with the	ID) bioretentic WQMP would	on BMPs to ac d not increase	ddress all e the rate			
iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff? Response:							
See Item X(a). Through the use of bioretention facilities and the implementation of a NPDES permit, SWPPP, BMPs, and a WQMP, implementation of the proposed project would not create or contribute runoff which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff. The proposed development does not create any impact to the downstream storm drain system. Impacts would be less than significant.							
iv) Impede or redirect flood flows?							
Resnonse:							

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact				
According to the Federal Emergency Management Agency (FEMA) Flood Insurance Rate Map (Production ID 06065C0760G), the project site is identified as Zone X ("dotted"). ⁵ Under this designation, the area is considered an area of minimal flood hazard (0.2 percent chance of annual floods) and is not a special flood hazard area. Therefore, the project is not expected to impede or redirect flood lows since the chances of flooding are low. Also, as discussed in Item X(a) and x(c)(ii), the project includes BMPs to manage runoff and flooding. Impacts would be less than significant.								
d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?								
Response: The project site is approximately over 40 miles east of the Pacific Ocean, thus there is no potential for tsunamis. There is also no potential for seiches since Perris Reservoir, the nearest body of water, is approximately five miles south of the project site. The site is also not located in potential inundation area due to failure of Lake Perris Dam (Figure 6-4 Flood Hazards). However, the project site is located within a 500-year floodplain. Therefore, the project would be required to comply with Municipal Code Chapter 8.12 Flood Damage Prevention and Implementation of National Flood Insurance Program to ensure that flood safety measures are taken. Impacts would be less than significant.								
e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan? Response:								
recharge. It would submit a SWPPP and implement a requirements and to minimize the potential for waterly proposed on-site would be required to be installed a County Department of Environmental Health required operation of septic system does not impact groundwater or obstruct implementation of a water quality control plantages.	borne pollutar and maintaine ments, which er quality. The	nts. Furthermed in accordar would ensurerefore, the pre	ore, the septi nce with the l e that the de oject would no	c system Riverside sign and ot conflict				
 Moreno Valley Municipal Code Chapter 8.10 – Stormwater/Urban Runoff Management and Discharge Controls Moreno Valley Municipal Code Chapter 8.21 – Grading Regulations Appendix I Preliminary Hydrology Studies and Project Specific Water Quality Management Plan prepared by Winchester Associates, Inc., April 2021 Eastern Municipal Water District (EMWD) 2015 Urban Water Management Plan FEMA Flood Map Service Center, https://msc.fema.gov/portal/home Moreno Valley 2040 General Plan, adopted June 15, 2021 Chapter 6 – Safety Element Map S-4: Flood Hazard Areas Moreno Valley Municipal Code Chapter 8.12 – Flood Damage Prevention 								
XI. LAND USE AND PLANNING – Would the a) Physically divide an established community?	ne project:							
Response:								
The project site consists of vacant and undeveloped land located in a mostly undeveloped area of the city. The project site is located off public roadways and development of the site would not prohibit access to any existing public areas or throughfares. Furthermore, the proposed development is a Conditionally permitted use within the Highway Office/Commercial (H-OC) District. Therefore, the project would not physically disrupt or divide the established community and no impacts would occur.								
b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or								

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact		
regulation adopted for the purpose of avoiding or mitigating an environmental effect? Response:						
The project proposes to develop the property with a gas station and food mart/retail store. The proposed project would include a Conditional Use Permit (PEN18-0038) for a service station. These uses would be consistent with the proposed zoning and land use designation of highway office/commercial from the 2040 General Plan.¹ Therefore, the project would not conflict with an applicable land use plan, policy, or regulation and no impact would occur.						
Sources:						
 Moreno Valley 2040 General Plan 2040, adop Chapter 2 – Land Use & Community Char 		2021				
- Map LLC-4: General Plan Land Use						
 All. MINERAL RESOURCES – Would the a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state? Response: 	project:					
The City of Moreno Valley 2040 General Plan FEIR identifies the project area as Mineral Resource Zone 3 (MRZ-3). MRZ-3 denotes that mineral deposits are likely to exist; however, the significance of the deposit is undetermined. The proposed project would occur in an area that has not been used for mining, is currently designated as highway office/commercial, and is surrounded by other urban development where mining operations are not expected to occur. Therefore, no impacts would occur.						
b) Result in the loss of availability of a locally- important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?						
Response:						
See Item XI(a), above. No impacts related to mineral	resource recov	ery would oc	cur.			
 Sources: 1. Final Environmental Impact Report City for the MoVal 2040: Moreno Valley Comprehensive Plan Update, Housing Element Update, and Climate Action Plan Section 4.12 – Mineral Resources Figure 4.12-1 – Mineral Resource Zones 2. 						
XIII. NOISE – Would the project result in:						
a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?						
Response:						
There are a variety of noise descriptors that occur in the metrics is the equivalent noise level (Leq); it considers as the single steady A-weighted level equivalent to the actual fluctuating levels over time. Typically, Leq is surroot mean squared (RMS) sound pressure level within sound pressure level within the measuring period 1.	both duration a e same amour mmed over a	and sound povent of energy a one-hour per	wer level. L _{eq} i is that contain iod. L _{max} is the	s defined led in the e highest		

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

Noise that occurs at night tends to be more disturbing than that occurring during the day. Community noise is usually measured using Day-Night Average Level (Ldn), which is the 24-hour average noise level with a +10 dBA penalty for noise occurring during nighttime (10:00 p.m. to 7:00 a.m.) hours.²

Construction Noise Impacts

Construction noise was estimated using the Federal Highway Administration (FHWA) Roadway Construction Noise Model (RCNM). RCNM predicts construction noise levels for a variety of construction operations based on empirical data and the application of acoustical propagation formulas. Using RCNM, construction noise levels were estimated at noise sensitive receivers near the project site. Construction noise is typically loudest during activities that involve excavation and move soil, such as site preparation and grading. A potential high-intensity construction scenario includes a grader, loader, dozer, and dump truck working during grading to excavate and move soil.

At a distance of 100 feet, a grader, front-end loader, a dozer, and a dump truck would generate a noise level of 78 dBA L_{eq} (8-hour). For the Highway Office/Commercial (H-OC) District designated parcels developed with single-family and commercial uses to the south, project construction noise levels would be 74 dBA L_{eq} (8-hour) and 72 dBA L_{eq} (8-hour), respectively (see Appendix J for construction noise modeling results). The Federal Transit Administration's (FTA) daytime construction noise limit is 80 dBA (8-hour) for residential uses; therefore, project construction noise levels would not exceed construction noise thresholds. In addition, construction activities would be restricted to daytime hours per the Moreno Valley Municipal Code Chapters 11.80 allowed hours of 7:00 a.m. and 7:00 p.m. Therefore, impacts from construction noise would be less than significant.³

Operational Noise Impacts

Noise-generating mechanical equipment on the retail store and food mart rooftops include heating, ventilation, and air conditioning (HVAC) units and an exhaust fan (food mart only). The equipment was assumed to be placed on the approximate center of the rooftop; noise levels for the equipment are described below. This analysis conservatively assumes the equipment would operate continuously for a full hour (100 percent for 60 minutes) during the daytime and nighttime. For a conservative assessment, it has been assumed that the equipment would not include any type of screening.

Heating, Ventilation, and Air Conditioning Units

Based upon one ton of HVAC per 600 square feet of building space and the square footage of each proposed building shown on the site plan, one 3-ton Carrier 38HDR036 Performance Series Air Conditioner unit is estimated to be required for the retail store and one 10-ton Carrier 38AUD14 HVAC unit is estimated to be required for the food mart (see Appendix J for manufacturer's specifications). The units for the retail store and food mart would generate an approximate sound power level of 72 dBA and 79 dBA; respectively, see Table 9 for noise spectrum data.³

Table 9 HVAC Noise Levels

	No	oise Level	Overall Noise Level					
HVAC Unit	125 Hz	250 Hz	500 Hz	1 KHz	2 KHz	4 KHz	8 KHz	in A-weighted Scale (dBA) ¹
3-ton	56.5	63.0	65.0	66.0	64.0	62.5	57.0	72
10-ton	78.6	78.1	75.1	75.2	71.4	67.9	65. 1	79

¹ Noise Levels for 3-ton Carrier HDR38 Performance Series and 10-ton Carrier 38AUD14 rooftop HVAC units (see Appendix J for specification sheets).

Roof Exhaust Fan

The food mart would also potentially include a roof exhaust fan on the rooftop of the building. It has been assumed that a Greencheck G-090-VG Direct Drive Centrifugal Roof Exhaust Fan would be used for the project (see Appendix J for manufacturer's specifications). This unit would generate an approximate sound power level of 66 dBA; see Table 10 for noise spectrum data.³

Hz = Hertz; KHz = kilohertz

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

Table 10 Roof Exhaust Fan Noise Levels

	Noise	Overall Noise Level in						
63 Hz	125 Hz	250 Hz	500 Hz	1 KHz	2 KHz	4 KHz	8 KHz	A-weighted Scale (dBA) ¹
77	74	69	63	58	55	51	44	55

¹ Noise Levels for a Greencheck G-090-VG Direct Drive Centrifugal Roof Exhaust Fan (see Appendix J for specification sheets).

Hz = Hertz; KHz = kilohertz

Based on Moreno Valley Municipal Code Table 11.80.030-2, operational noise would be significant if noise levels exceed 60 dBA from 8:00 a.m. to 10:00 p.m. or 55 dBA from 10:00 p.m. to 8:00 a.m. Noise levels at the nearest properties from each noise source and their combined noise levels are shown in Table 11.³

Table 11 Operational Noise Levels at Off-site Land Uses

Noise Level (dBA Leq)									
Receiver	Description	3-ton HVAC	10-ton HVAC	Exhaust Fan	Combined	Exceed Thresholds ? ⁴			
Residential	South of site ^{1,2}	37	44	20	45	No			
Residential	East of site ³	36	44	20	45	No			

¹ South of site residential receivers are located on properties that are zoned office use.

See Figure 4 in Appendix J for receiver locations.

As shown in Table 11, combined operational activities on the project site would generate noise levels up to 45 dBA L_{eq} at nearby Highway Office/Commercial (H-OC) District and Residential 1 (R1) District properties. The combined operational noise from the retail store and food mart mechanical equipment would not exceed Moreno Valley's daytime and nighttime noise standards of 60 dBA and 55 dBA L_{eq}, respectively. Therefore, impacts from operational noise would be less than significant.³

Off-site Traffic Noise

Traffic-related noise impacts would be considered significant if project-generated traffic would result in exposure of sensitive receivers to an unacceptable increase in noise levels. For purposes of this analysis, a significant impact would occur if project-related traffic increases the ambient noise environment of noise-sensitive land uses by 3 dBA or more if the locations are subject to noise levels in excess of conditionally compatible levels, or by 5 dBA or more if the locations are not subject to noise levels in excess of the conditionally compatible levels identified in the City of Moreno Valley 2040 General Plan.⁴

The project would generate new vehicle trips that would increase noise levels on nearby roadways, which would occur primarily on Redlands Boulevard. The increase in roadway noise with the addition of project traffic is shown in Appendix J. Traffic data was obtained from the project's Traffic Impact Analysis, which is Appendix J. Due to the relatively small increase in overall ADT volumes from project-generated traffic, the noise level increases would range between 0.1 dBA Ldn to be 2.8 dBA Ldn. One project area roadway segment, Eucalyptus Avenue from Redlands Boulevard to east of Redlands Boulevard would experience the largest traffic noise level increase, 2.8 dBA Ldn, when comparing existing to existing plus project traffic scenario. It should be noted that there are no noise sensitive receivers along this roadway segment. Furthermore, the project's traffic noise increase would not exceed 3 dBA or more, and impacts would be less than significant.³

b)	Generation of excessive groundborne vibration or groundborne noise levels?		

² Assumes 280 feet to residence south of the site

³ Assumes 285 feet to residence east of the site

⁴ Thresholds would be exceeded if exterior noise levels exceed 60 dBA from 7:00 a.m. to 10:00 p.m. or 55 dBA from 10:00 p.m. to 7:00 a.m.

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

Response:

Vibration amplitudes are usually expressed in peak particle velocity (PPV) or RMS vibration velocity. The PPV and RMS velocity are normally described in inches per second. PPV is defined as the maximum instantaneous positive or negative peak of a vibration signal. PPV is often used in monitoring of blasting vibration because it is related to the stresses that are experienced by buildings.⁵

The greatest vibratory source during construction within the project vicinity would be a large bulldozer. Neither blasting nor pile driving would be required for construction of the project. Construction vibration estimates are based on vibration levels reported by Caltrans and the FTA. Table 12 shows typical vibration levels for various pieces of construction equipment used in the assessment of construction vibration.⁶

Table 12 Vibration Levels Measured during Construction Activities

Equipment	PPV at 25 ft. (in/sec)
Large Bulldozer	0.089
Loaded Trucks	0.076
Small Bulldozer	0.003
Source: FTA 2018	

A significant impact would occur if the project would result in the generation of excessive groundborne vibration or groundborne noise levels. Vibration levels equal to or below 0.4 in./sec. PPV at residential structures would prevent structural damage for most residential building and vibration levels equal to or less than 1.0 in./sec. PPV would prevent damage to more substantial construction, such as high-rise, commercial, and industrial buildings. For human annoyance, the vibration level threshold at which transient, or temporary, vibration sources are considered to be distinctly perceptible is 0.24 in./sec. PPV.

Construction activities known to generate excessive groundborne vibration, such as pile driving, would not be conducted by the project. The greatest anticipated source of vibration during general project construction activities would be from a large bulldozer, which may be used within 50 feet of the nearest off-site structure. A large bulldozer creates approximately 0.089 in./sec. PPV at a distance of 25 feet.⁶ This would equal a vibration level of 0.0315 in./sec. PPV at 50 feet. This vibration level is lower than the threshold of 0.24 in./sec. PPV. Therefore, temporary impacts associated with construction would be less than significant.

c)	For a project located within the vicinity of a
	private airstrip or an airport land use plan or,
	where such a plan has not been adopted, within
	two miles of a public airport or public use airport,
	would the project expose people residing or
	working in the project area to excessive noise
	levels?

Response:

A significant impact would occur if the project exposes people residing or working in the project area to excessive noise levels. The March Air Reserve Base/Inland Port Airport is the nearest airport, located approximately 6.7 miles to the southwest of the project site. According to the noise compatibility contours figure for the March Air Reserve Base/Inland Port Airport Land Use Compatibility Plan, the project site is located outside the airport's 60 dBA CNEL noise contour. Therefore, no substantial noise exposure from airport noise would occur to construction workers, users, or employees of the project, and no impacts would occur.

Sources:

1. Malcolm J. Crocker (Editor). 2007. Handbook of Noise and Vibration Control Book, ISBN: 978-0-471-39599-7, Wiley-VCH, October.

ISSUES & SUPPORTING Potentially Significant Less Than No Significant Significant with Impact **INFORMATION SOURCES:** Impact Mitigation Impact Incorporated California Department of Transportation (Caltrans). 2013. Technical Noise Supplement to the Traffic Noise Analysis Protocol. (CT-HWANP-RT-13-069.25.2) September. http://www.dot.ca.gov/hq/env/noise/pub/TeNS Sept 2013B.pdf 3. Appendix J Noise Study prepared by Rincon Consultants, April 2021 4. Moreno Valley 2040 General Plan, adopted June 15, 2021 Chapter 7 – Noise Element Table N-1: Community Noise Compatibility Matrix 5. California Department of Transportation (Caltrans). 2020 Transportation and Construction Vibration Guidance Manual. (CT-HWANP-RT-20-365.01.01) September. https://dot.ca.gov/-/media/dot-media/programs/environmental-analysis/documents/env/tcvgm-apr2020-a11y.pdf. 6. Federal Transit Administration (FTA). 2018. Transit Noise and Vibration Impact Assessment. November, https://www.transit.dot.gov/sites/fta.dot.gov/files/docs/researchinnovation/118131/transit-noise-and-vibration-impact-assessment-manual-fta-report-no-0123 0.pdf MARB/MIP Airport Land Use Compatibility Plan (ALUCP) on November 13, 2014. http://www.rcaluc.org/Portals/13/17%20-%20Vol.%201%20March%20Air%20Reserve%20Base%20Final.pdf?ver=2016-08-15-145812-700 **POPULATION AND HOUSING – Would the project:** XIV. a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of road or other infrastructure)? Response: The project involves the construction and operation of a retail/food mart and fuel facility. No residential uses or other land uses associated with directly impacting population growth are included as part of the project. The temporary construction jobs associated with the project are expected to be fulfilled by the existing local labor pool, and it is not anticipated that the project would result in indirect population growth. Additionally, the project would use existing utilities and infrastructure on-site, and would not result in offsite improvements that would drive job or population growth; therefore, no impacts associated with population growth inducement would occur. b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere? Response: The project site is vacant and would not displace existing housing. No impacts associated with housing displacement would occur. Sources: 1. No sources cited **XV. PUBLIC SERVICES –** Would the project: a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services: Fire protection? Response: The City contracts with the Riverside County Fire Department to provide fire protection, fire prevention, and emergency services to its residents. The fire station nearest the project site is the Riverside County Fire Department located at 28040 Eucalyptus Avenue, an approximate two-mile driving distance west of the project site. The proposed project would incrementally increase the need for fire protection services

Less Than

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact				
within the city but would not require the construction of new fire facilities to maintain acceptable service ratios, response times, or other performance objectives. The project would be required to adhere to all standards and conditions required by the City and the Riverside County Fire Department, including, but not limited to, restrictions on project design, imposition of construction standards, and payment of impact fees. ² Adherence to these standards would result in a less than significant impacts associated with the provision of fire protection.								
ii) Police protection?								
Response:								
The City contracts police services from the Riverside Police Department (MVPD) operates out of the Centra de Los Lagos. The proposed project would incrementa within the city. The proposed project would be required by the City and the MVPD, including the payment of incrementally increase the need for police protection, it to maintain acceptable service ratios, response times proposed project would result in a less than signification protection.	al Police Stationally increase the state of the adhere to a firm pact fees to would not rect, or other period.	on, located at ne need for po all standards a . While the p quire the const formance obje	22850 Calle s lice protection and conditions roposed project cruction of new ectives. ² There	San Juan services required ect would r facilities efore, the				
iii) Schools?								
Response:								
The proposed project does not include uses that would generate school age children. As such, implementation of the proposed project would not place an increased demand on schools or require the construction of new schools, and no impacts would occur.								
iv) Parks?								
Response:								
The proposed project does not include uses tha implementation of the proposed project would not pla construction of new parks, and no impacts would occur	ace an increas							
v) Other public facilities?								
Response:								
The proposed project does not include uses tha implementation of the proposed project would not pla or require the construction of new facilities, and no im	ice an increas	ed demand o	•					
Sources:								
 Final Environmental Impact Report for the MoVal 2040: Moreno Valley Comprehensive Plan Update, Housing Element Update, and Climate Action Plan Section 4.15 – Public Services and Recreation Figure 4.15-1 – Location of Public Facilities City of Moreno Valley Municipal Code Chapter 3.42, Commercial and Development Impact Fees (Ordinance No. 695) Figure 5.13-1 – Location of Public Facilities 								
XVI. RECREATION – Would the project:								
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?								
Response:								

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant	Less Than Significant with	Less Than Significant	No Impact					
Per Impact XV Response IV, the proposed project w	Impact ould not increa	Mitigation Incorporated ase the usage	Impact e of parks. No	·					
would occur. b) Does the project include recreational facilities or									
require the construction or expansion of recreational facilities which have an adverse physical effect on the environment?									
Response:		I							
The project involves the construction and operation of store. The project does not include recreational facilities. No impacts would occur.									
Sources:									
No sources cited.									
XVII.TRANSPORTATION - Would the proje	ct:		I						
a) Conflict with program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?									
Response:									
Ganddini Group, Inc prepared a Transportation Impa project. The analysis is included in Appendix K and is			2019 for the	proposed					
Roadway segment and intersection operating conditions are typically described in terms of Level of Service (LOS). LOS is a scale used to indicate the quality of traffic flow on roadway segments and at intersections, with a range from LOS A (free flow, little congestion) to LOS F (forced flow, extreme congestion). Although LOS is no longer a CEQA issue, LOS is discussed in the City's General Plan and is provided here as an impact analysis for consistency with the City's General Plan requirements. In this study, Existing Plus Project conditions are compared to Existing conditions to identify potentially significant, direct, project-related traffic impacts according to the following criteria:									
 If an intersection operating at an acceptable L and the addition of project traffic causes the in (LOS E or F); 									
 If an intersection is operating at an unaccepta and the addition of project traffic at the interse 				nditions					
	conditions and the addition of project traffic causes the roadway to operate an unacceptable								
The study roadway segments currently operate within acceptable Levels of Service (D or better) for Existing conditions, except for the following:									
 Redlands Boulevard – Ironwood Avenue to Hemlock Avenue Redlands Boulevard – Hemlock Avenue to State Route 60 Westbound Ramps 									
Table 13 shows the project's impact on the LOS of the surrounding intersections. Delay during AM and PM peak hours would increase as a result of the project. However, the project would not result in an unacceptable LOS for any of the surrounding intersections.									
Table 13 Opening Year (2024) Intersection	n Level of S	ervice							
Opening Year	r (2024) Without		ng Year (2024)	With					
Control ¹	oject PM Peak Hou	ur AM Peak	Project Hour PM Pea	ak Hour					

ISSUES & SUPPORTING INFORMATION SOURCES:				Potentia Signific Impac	ant	Less Than Significant with Mitigation Incorporated	Sig	ss Than Inificant Inpact	No Impact
		Delay ²	LOS ³	Delay ²	LOS	³ Delay ²	LOS ³	Delay ²	LOS ³
1. Redlands Blvd at Ironwood Ave	TS	21	С	27.8	С	21.5	С	28.7	С
2. Redlands Blvd at Hemlock Ave	CSS	-		-		16	С	17.3	С
3. Redlands Blvd at State Route 60 WB Ramps	TS	42.8	D	27.4	С	44.5	D	43.3	D
4. Redlands Blvd at State Route 60 EB Ramps	TS	27	С	56.6	E	27.3	С	58	E
With Improvements	TS	23.9	С	32.8	С	24	С	34.6	С
5. Redlands Blvd at Eucalyptus Ave	TS	22.2	С	36.4	D	22.9	С	37.5	D
6. Project North Access at Hemlock Ave	CSS	-		-		8.4	Α	8.4	Α
7. Spruce Ave at Project South Access	CSS	-		-		8.7	Α	8.7	Α

¹TS = Traffic Signal; CSS = Cross Street Stop

For Opening Year (2024) interim conditions prior to the State Route 60 /Redland Boulevard interchange reconfiguration, the Spruce Avenue project driveway is proposed to provide full access ingress and egress to the site. The project driveway on Hemlock Avenue is proposed to provide full ingress and egress to the site. For General Plan Buildout (Year 2040) after State Route 60 /Redlands Boulevard interchange reconfiguration (any alternative), the Redlands Boulevard project driveway is proposed to be restricted to right turns in/out only access. The project driveway on Hemlock Avenue is proposed to continue to provide full ingress and egress to the site.

According to the TIA, the proposed project is expected to generate 3,050 ADT, including a total of 78 AM peak-hour trips, 101 PM peak-hour trips (see Table 14). These trip totals factor in pass-by reductions (for vehicles that would be traveling in the area regardless of the proposed project facilities). According to the TIA, the proposed project would have a less than significant impact at the study intersections for Existing Plus Project conditions.

Table 14 Project Trip Generation

Trip Generation Rates									
			AM Peak Hour			PM Peak Hour			Daily
Land Use	Source ¹	Units ³	% In	% Out	Rate	% In	% Out	Rate	Rate
Gas Station with									
Convenience Market	ITE 945 ¹	VFP	51%	49%	12.47	51%	49%	14%	205.36
General Office Building	ITE 710 ²	TSF	88%	12%	1.52	17%	83%	1.44	10.84
Trips Generated									
			AM Peak Hour			PM Peak Hour			
Land Use	Ouantity 4	Units ³	Iس	Out	Total	l n	Out	Total	Daily
Land USE	Quantity⁴	Ullis	In	Out	Total	In	Out	Total	Daily
General Office Building	1.200	TSF	2	0	2	0	2	2	13
				_					,
General Office Building				_					,
General Office Building Gas Station with	1.200 16	TSF VFP	2	0	2	0	2	2	13
General Office Building Gas Station with Convenience Market	1.200 16 Gas Station v	TSF VFP	2	0	2	0	2	2	13
General Office Building Gas Station with Convenience Market Trip Credits ⁴ Pass By - Cars	1.200 16 Gas Station v	TSF VFP v/	102	98	2	144	110	2 224	13 3,286

¹ Source: Institute of Transportation Engineers (ITE) Trip Generation Manual (10th Edition, 2017)

² Delay is shown in seconds per vehicle. For intersections with traffic signal or all way stop control, overall average intersection delay and LOS are shown. For intersections with cross street stop control, LOS is based on average delay of the worst individual lane (or movements sharing a lane)

³LOS = Level of Service

² Source: Institute of Transportation Engineers (ITE) Trip Generation Manual (11th Edition, 2021).

³ VFP = Vehicle Fueling Positions; TSF = thousand square feet

Less Than **ISSUES & SUPPORTING** Less Than Potentially Significant No Significant with Significant Impact **INFORMATION SOURCES:** Impact Mitigation Impact Incorporated ⁴ Source: Drawing S-1 Site Plan for Project: Tesoro Refining & Marketing Co., received May 29, 2019 The project site is located in a relatively undeveloped area of the city. No bikeway or public transit facilities exist on Redlands Boulevard or Hemlock Avenue. Additionally, the proposed project would make sidewalk improvements on Redlands Boulevard and Hemlock Avenue, which would support pedestrian transit better than existing conditions. Therefore, the project would not conflict with a program, plan, ordinance, or policy addressing transit, roadway, bicycle, and pedestrian facilities and impacts would be less than significant. b) Conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b)? Response: The City Transportation Impact Analysis Guidelines includes screening criteria for certain types of projects that are local serving in nature or generate a low number of vehicle trips and may be presumed to have a less than significant impact. In addition to local serving retail with less than 50,000 square feet, gas stations are also presumed to have a less than significant impact. Local serving projects will generally redistribute trips rather than creating new trips. By adding local opportunities into the urban fabric and thereby improving proximity, local serving projects tend to shorten trips and reduce VMT. This project adds neighborhood retail use which are largely absent from the northeast quadrant of the city; thus, redistributing existing trips and shortening travel lengths with improving proximity. The proposed project meets the definition of local serving gas station, non-destination hotel and local-serving retail less than 50,000 square feet. Therefore, the proposed project satisfies the project type screening criteria for local serving uses and may be presumed to result in a less than significant VMT impact in accordance with VMT guidelines established by the City of Moreno Valley. c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)? Response: The project does not propose a design feature or incompatible uses that could substantially increase hazards. The project's driveways along Redlands Boulevard and Hemlock Avenue have been designed to allow safe ingress and egress in accordance with Section 9.11.080 of the City Municipal Code, which outlines design standards for driveways.² In addition, consistent with City practices, operation of the driveways would be continually reviewed, and modifications would be made if hazardous conditions are present. Therefore, with compliance with City design standards, no associated impacts would occur. d) Result in inadequate emergency access?

Response:

Access to the site for emergency vehicles would be provided via the project driveways along Redlands Boulevard and Hemlock Avenue. The project would be subject to City review and approval for consistency with design requirements while acquiring building permits to ensure that no impediments to emergency access occur. 1 No impacts would occur.

Sources:

1. Appendix K ARCO AM/PM Service Station Traffic Impact Analysis, prepared by Ganddini Group, Inc, June 2019 (Revised August 2019). Moreno Valley Municipal Code Section 9.11.080

XVIII. TRIBAL CULTURAL RESOURCES – Would the project:

a) Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact				
i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k), or								
ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resources Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe. Response:								
Tribal cultural resources (TCRs) are sites, features, places, cultural landscapes, sacred places, and objects with cultural value to a California Native American tribe that are either included or determined to be eligible for inclusion in the California Register of Historical Resources or included in a local register of historical resources, as defined in subdivision (k) of Public Resources Code Section 5020.1, or determined to be significant pursuant to criteria set forth in Public Resources Code Section 5024.1. As discussed in Impact V, <i>Cultural Resources</i> , the NAHC indicated in a letter dated November 2, 2017 that there are no known scared lands or Native American cultural resources within the project area. However, there is still potential to discover TCRs during project construction. Therefore, the project would need to implement Mitigation Measures CR-1 through CR-6 to reduce potentially significant impacts to TCRs to less than significant.								
Sources: 1. No sources cited.								
XIX. UTILITIES AND SERVICE SYSTEMS	- Would th	e project:						
Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?								
Response: The project would involve the construction of gutters, bio-retention basins, storm drainpipes, and storm drain outlet structures. The construction of stormwater drainage facilities proposed by the project would result in physical impacts to the surface and subsurface of the project site. These impacts are considered to be part of the project's construction phase and are evaluated throughout this Initial Study accordingly. The proposed drainage facilities are expected to be sufficient to convey post-development flows; therefore, the construction or expansion of additional off-site drainage facilities would not be required.								
Other utilities such as electrical power would be consistent with City and provider regulations. The projeto serve the proposed project; however, this demand would be within anticipated energy usage, and wou natural gas storage/transmission facilities. Impacts wo	ect would invo I increase wou Id not require	lve an increas ıld not be a w additional ele	se in electricity vasteful use c ectricity subst	demand f energy,				
b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years? Response:								

Potentially Significant Impact Less Than
Significant
with
Mitigation
Incorporated

Less Than Significant Impact

No Impact

The operation of the proposed food mart/retail store and gas station would result in an increase in potable water demand from the local water purveyor, EMWD. However, the proposed project is consistent with the assumptions made in EMWD's 2020 Urban Water Management Plan, as the project site is consistent with the existing land use and zoning designations that are used to calculate population projections. EMWD's 2020 Urban Water Management Plan concludes that the EMWD has sufficient water supplies available to serve planned land uses within its service area through at least 2045.² In addition, the proposed project would not be subject to the provisions of SB 610, requiring a Water Supply Assessment, because the proposed project does not involve a use that would result in water demand equivalent to a residential development of more than 500 dwelling units. Therefore, impacts related to water supply would be less than significant.

c)	Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?				
Re	sponse:				
cor pro ad\	e project would not result in any direct impacts to nstruct an on-site septic system to service the sposed project would not require the construction of versely affect the treatment capacity of existing mul- stewater treatment facilities would be less than sign	project's was f new municip nicipal wastew	tewater gene al wastewate	ration. There r treatment fa	fore, the cilities or
d)	Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?				

Response:

Implementation of the proposed project would generate an incremental increase in solid waste volumes requiring off-site disposal during short-term construction and long-term operational activities. The project would be required to comply with City of Moreno Valley Ordinance No. 706, which requires a minimum of 50 percent of all construction waste and debris to be recycled. Additionally, the project would be required to comply with mandatory waste reduction requirements.

Solid waste generated by the proposed project would be disposed at the Badlands Sanitary Landfill, the Lamb Canyon Sanitary Landfill, and/or the El Sobrante Landfill. Existing capacities at each of these landfills are discussed below.

The Badlands Landfill has a permitted disposal capacity of 4,800 tons per day and a remaining capacity of 15,748,799 cubic yards.³ The Badlands Landfill is estimated to reach capacity in the year 2022; however, future landfill expansion opportunities exist at this site. The Lamb Canyon Landfill has a permitted disposal capacity of 5,000 tons per day and has a remaining capacity of 19,242,950 cubic yards.³ The Lamb Canyon Landfill is estimated to reach capacity in the year 2029; however, future landfill expansion opportunities exist at this site. The El Sobrante Landfill has a permitted disposal capacity of 16,054 tons per day and a remaining capacity of 143,977,170 tons.³ The El Sobrante Landfill is estimated to reach capacity in the year 2051; however, future landfill expansion opportunities exist at this site.

For the proposed project, waste would be generated by the construction process, primarily consisting of discarded materials and packaging. Based on the total project site area to undergo construction of 13,194 square feet and the Leadership in Energy and Environmental Design construction waste generation factor of 2.5 pounds per square foot for commercial construction, approximately 17 tons of waste would be generated during the construction process.⁴

Based on a daily waste generation factor of five pounds of waste per 1,000 square feet of building area per day obtained from CalRecycle, long-term, on-going operation of the proposed 4,493-square foot food

Less Than **ISSUES & SUPPORTING** Less Than Potentially Significant No Significant Significant with Impact **INFORMATION SOURCES:** Impact Mitigation Impact Incorporated mart/retail store would generate approximately 22.5 pounds of waste per day.5 At least 50 percent is required to be recycled pursuant to State law. Solid waste generated by the proposed project would be disposed at the aforementioned El Sobrante Landfill, the Badlands Sanitary Landfill, and/or the Lamb Canyon Sanitary Landfill. Each of these landfills receive well below their maximum permitted daily disposal volume and have the potential for future expansion. The landfills have sufficient capacity to accept solid waste generated by the project's construction and operational phases; therefore, associated impacts would be less than significant. e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste? Response: The project would be required to comply with the City of Moreno Valley's waste reduction programs, including recycling and other diversion programs to divert the amount of solid waste deposited in landfills. In addition, in accordance with the California Solid Waste Reuse and Recycling Act of 1991 (Public Resources Code Section 42911), the proposed project would provide adequate areas for collecting and loading recyclable materials where solid waste is collected. The implementation of these programs would reduce the amount of solid waste generated by the proposed project and diverted to landfills, which in turn would aid in the extension of the life of affected disposal sites. The project would comply with all applicable solid waste statutes and regulations; therefore, solid waste impacts would be less than significant. Sources: 1. Appendix I Preliminary Hydrology Studies and Project Specific Water Quality Management Plan 2. Eastern Municipal Water District (EMWD) 2020 Urban Water Management Plan. July 1, 2021. https://www.emwd.org/sites/main/files/fileattachments/urbanwatermanagementplan 0.pdf?1625160721 3. CalRecycle "Facility/site Summary Details 2021"; CalRecycle "Estimated Solid Waste Generation Rates; USEPA "Construction Waste Management Guidance" 4. Construction Waste Management Guidance for Section 01 74 19, December 2007. https://19january2017snapshot.epa.gov/sites/production/files/2014-03/documents/017419g.pdf 5. CalRecycle. 2016. Estimated Solid Waste Generation Rates: Commercial Sector Generation Rates XX. WILDFIRE - If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project: a) Substantially impair an adopted emergency

response plan or emergency evacuation plan? Response:

The project would not be located in or near a CAL FIRE recommended very high fire hazard severity zone (VHFHSZ) or state responsibility area. As discussed in Section XVII, *Transportation*, the project would not impede access to emergency services. The project would be designed, constructed, and operated pursuant to applicable standards outlined in the latest California Fire Code, and specifications for the proposed improvements would be subject to County requirements, including Chapter 83.09 – Infrastructure Improvement Standards, and Chapter 83.12 – Road System Design Standards to ensure that adequate dimensions for emergency vehicles is met.

While project construction may require temporary truck and equipment access and parking on and around the project site, construction would not require lane or roadway closures that would temporarily impair emergency response or evacuation. Therefore, no impact would occur.

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact					
b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?									
Response: The project is not located in or near a designated VHFHSZ and would not be situated near steep slopes. The project would adhere to applicable standards outlined in the latest California Fire Code, and County regulations put forth out in their County Development Code. Therefore, the project would not exacerbate wildfire risks, and would not expose occupants to pollutant concentrations or the uncontrolled spread of wildfire. No impact would occur.									
c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?									
Response: The project would not result in significant environmental effects associated with the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities. The project would require installation of standard water and sewer laterals or appurtenances to serve the proposed buildings and landscaping. New or relocated utilities and systems associated with the project would comply with state and local fire codes to reduce the risk of fires, and none of these potential infrastructure improvements would exacerbate fire risk onsite. No impact would occur.									
d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?									
Response: As discussed in Section VII, Geology and Soils, the project site is not located on an area of significant slopes. Additionally, the project site is not susceptible to landslides or downstream flooding. The project would be required to comply with the County's Development Code and the latest CBSC requirements. In addition, the project would be required to implement all recommendations of the geotechnical report through the City's design review process. Implementation of the recommendations from the site-specific geotechnical analysis in the design and construction of the project would reduce potential hazards from post-fire landslides or slope instability. This impact would be less than significant.									
Sources:	(=, 10	_,							
1. CAL FIRE. 2021. FHSZ Viewer. https://egis.fire.ca.gov/FHSZ/									
a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory? Response:									

ISSUES & SUPPORTING INFORMATION SOURCES:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
As discussed in this Initial Study, the project would have a no impact, a less than significant impact, or a less than significant impact after mitigation with respect to all environmental issues. Regarding cultural and paleontological resources, the project has the potential to degrade unknown prehistoric archeologic sites. Implementation of Mitigation Measures BIO-1, BIO-2, CR-1 through CR-6 and GEO-1 would reduce potential impacts to biological, historical, and archaeological resources to a less-than-significant level.				
b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current project, and the effects of probable future projects.)?				
Response:				
The proposed project was determined to have no impact in comparison to existing conditions for Agriculture and Forestry Resources and Mineral Resources. Therefore, as there would be no direct or indirect impacts, the proposed project would not contribute to cumulative impacts to these issue areas.				
For all other issue areas, the proposed project would have either direct or indirect impacts that have been determined to be less than significant, or less than significant with mitigation incorporated. The project would involve the construction of a gas station and food mart/retail store on a site that is currently vacant. The project would not adversely affect biological, cultural, or other physical resources outside of the project site with mitigation measures implemented. Other impacts, such as air quality, noise, transportation, GHG, and utilities, would not be substantial and would not be cumulatively considerable. Construction of the project is not anticipated to overlap with other proposed projects since there are no proposed construction projects within the immediate vicinity of the project. Therefore, construction equipment exhaust emissions, GHG emissions, and noise would not overlap during construction. The effects of the project would not combine with impacts from other projects in the vicinity to result in a significant cumulative impact. c) Does the project have environmental effects				
which will cause substantial adverse effects on				
human beings, either directly or indirectly? Response:				
Effects on human beings are generally associated with impacts related to issue areas such as air quality, geology and soils, hazards and hazardous materials, noise, and transportation. As discussed, in this Initial Study, the project would have a less than significant impact in each of these resource areas. Therefore, the project would not cause substantial adverse effects on human beings, either directly or indirectly and impacts associated with the project would be less than significant.				